

KEY ACCESSORIES



MAGNETIC KEY HIDER



Rugged black plastic holds two large keys. Will not rust. Two heavy duty, superior magnets hold to any steel surface. Ideal for use on all vehicles, or any magnetic surface where you want to hide key for emergencies. Supplied in black with silver imprint. Measures 3" x 1-7/8" x 5/8".

Stock No.	Packaging
LKC-91001	1 per card/Minimum of 5 cards.
LKC-91010	10 per metal card display.
LKC-91012	12/box (great for refilling display)

MAGNETIC KEY HIDERS


EXTRA LARGE MAGNETIC KEY HIDER



Rugged plastic case holds even large rubber headed keys. Will not rust. Two heavy duty superior magnets hold to any steel surface. Ideal for use on all vehicles, or any magnetic surface where you want to hide a key for emergencies. Supplied in black with silver imprint. Measures 4" x 2-1/8" x 5/8".


Stock No.	Packaging
LKC-91201	1 per card/Minimum of 5 cards.
LKC-91210	10 per metal card display.
LKC-91200	6/box (great for refilling display)

POUCH KEY HIDER



Tear resistant nylon pouch attaches keys or cash to non-magnetic surfaces. Water resistant adhesive anchors mounting pad to any clean surface. Effective hook and loop system secures pouch to pad, makes pouch removal easy. Supplied in black with teal imprint. Measures 2" x 4" x 1/8".

Stock No.	Packaging
LKC-91410	10 per easel card display.



HAK-1 (Pictured above)
Each dozen Hide-A-Keys is magnetically attached to a handsome three color metal counter display stand, size: 11-5/8" X 15-1/8". Metal display stand with one dozen Hide-A-Keys attached packed in individual cartons.
HAK-3 Individually boxed. Sold by the dozen.



MAGNETIC KEY CASE

Stock No.	Packaging
206DAT	Sold in boxes of 12 only.



For car, home, garage. Use to hide spare key, or as handy coin holder on car dash. Snaps closed. Won't open accidentally. Magnet grips any steel surface. Rust-free case eliminates corrosion of case and key common to conventional all-metal units. Individually blister packed. Measures: 3-1/4" x 2-1/8" x 13/16".

KEY CABINETS

HPC



MOUNT
UNDER
HOOD



TRUCK KEY KEEPER™

For trucking firms and commercial truck fleets.


This key keeper is perfect for trucking firms and commercial truck fleets. The box made of heavy gauge steel, with a charcoal grey baked enamel finish.

It keeps keys secure within a truck, as well as eliminate loss of ignition keys for large fleets. HPC's Key Keeper is like a small bank vault. It mounts under the hood, onto an inside fender or body wall, with the three included sheet metal screws. Each keeper comes complete with a 7 pin tubular lock with dust cover and one key. Box Size: 3-1/2"H x 3-1/4"W x 1-1/2"D.

Stock No. **Keyed Alike No.**
KEP-16-95 3395
 Furnished with one key.




Single tag key cabinets are designed to secure and provide a secure centralized key control location for home, office, store and commercial locations. Key Cabinets are available in the most popular sizes, 10, 30, 60, 120 and 200 key capacities.



- Wall mounted design.
- Locking cabinets features ILCO® cam lock with two keys.
- Heavy gauge steel construction with welded, round corners.
- Sturdy continuous door hinge.
- Durable welded slotted steel key racks.
- Durable powder coat, neutral sand beige texture finish.
- White plastic, numbered single set key tags with nickel plated snap-hooks included (additional tags sold separately).
- Includes key control log.
- Each cabinet is packed in a consumer appealing box suitable for retail display. (English, Spanish and French)

Stock No.	Capacity	Width	Depth	Height	LBS
IL-KEY CABINET 10	10	7.1	2.0	6.7	2.43
IL-KEY CABINET 30	30	7.1	2.0	11.8	4.19
IL-KEY CABINET 60	60	13.4	3.9	19.3	12.13
IL-KEY CABINET 120	120	13.4	3.9	19.3	13.01
IL-KEY CABINET 200	200	16.5	5.1	20.1	17.42



Portable
5400D



Wall Mount
5401D

SELECT ACCESS
Key Storage Security Program
 No Lockouts — No Schedule Conflicts

Master Lock.



Large key storage compartment—holds over 5 door or car keys. 4-dial resettable combination lock—provides simple, set-your-own combination convenience. Solid die cast body—reinforced to withstand hammering and sawing. Zinc lock body and shutter door—weather resistant for years of dependable operation.

©ZIPF LOCK COMPANY

KEYING KITS



AJ-SK8

For servicing American rekeyable pin tumbler padlocks.

AJ-TCR-3

For servicing American tubular cam locks and padlocks.


ORIGINAL KITS



AS-PK4

Pin kit No. 4 Mini Pin Kit for ASSA Twin & V-10.



Kwikset



Stock No. Description

KW-272 Kwikset keying kit

Contents: Anti-pick Top Pins, Top pins, Master pins, Bottom pins, Springs, PK balls, Pin covers, Locking bars, Plug clips, Cylinder removal tool, Key gauge, Plug follower.



Stock No. Description

MA-291 For 21, 27 and Pro Series Rekeyable Padlocks

REKEYING PARTS KIT includes: Spool pins, master pins, bottom pins, driver pins, key cut gauges, cylinder assembly tool, allen wrenches, retaining nuts, cylinder extensions, tumbler springs, trap doors, and for new style 6000/7000: driver pins, spool pins and e clips. Kit also has convenient reference chart.

Stock No. Description

MA-8491 For Rekeying Python™ Locking Cable

REKEYING PARTS KIT includes: Disc tumblers 0 thru 6, cylinder retaining discs, plug assemblies, driver springs, service keys, key cut gauge, keying tool.

Key it yourself or let us do it for you.



For manufacturers not shown, see LAB kits on pages 395-398

©ZIPF LOCK COMPANY

MISCELLANEOUS

GUN LOCKS

- The world standard in trigger lock design.
- Steel and zinc body for maximum durability.
- 4-pin tumbler cylinder helps prevent picking.
- Durable metal construction
- Protective rubber parts shield gun from scatching or marring.
- Fits many handguns, rifles and shotguns.



Keyed Different

90D

Keyed Alike*

90D KA


*KEYED ALIKE NUMBERS STOCKED:

90KA: P104.

Master Lock



- Easy to install and set.
- Features positive locking with adjustable ratchet mechanism.
- Offers added convenience of a keyless resettable combination.
- Protective rubber parts shield gun from scatching or marring.
- Fits many handguns, rifles and shotguns.



Resettable Combination

94DSPT

HAND RAIL BRACKETS


CAL-ROYAL



CR-HDHB40

US-3, 5, 10B, 15, 15A, 26, 26D
Heavy Duty Hand Rail Bracket
(2-1/4" H x 1-3/8"W)
(Ives #059)


DON-JO



DJ-130

Finishes: 605, 609, 613, 619, 620, 625, 626

Material: Cast Aluminum. Base: 2-13/16" x 1-1/2". ANSI L33061.



DJ-135

Finishes: 605, 613, 619, 620, 626
Material: Solid Brass. Base: 2-1/4" x 1-1/4". ANSI L13061.

IVES

Hand Rail Bracket

- 059 made from solid brass, cast aluminum or epoxy-coated aluminum.
- 59 made from cast brass or cast aluminum.
- Large faceplate for secure attachment to wall.
- Features solid construction for increased strength.
- 59 conforms to ANSI/BHMA A156.16 L13061 for brass and L33061 for aluminum.
- Dimensions:

IV-059A & IV-059B:

Base: 2-1/4" H x 1-3/8" W


Base to Center of Rail: 2-7/16"

IV-59A: Base: 2-13/16" H x 1-1/2" W

Base to Center of Rail: 2-3/4"

IV-59B: Base: 2-15/16" H x 1-1/2" W

Base to Center of Rail: 2-3/4"



Stock No. (Specify Finish)

IV-059A Cast Aluminum

Finishes: 3, 5, 10B, 14, 92

IV-059B Solid Brass

Finishes: 3, 10B, 15, 15A, 26

Stock No. (Specify Finish)

IV-59A Cast Aluminum

Finishes: 3, 5, 10B, 14, 92

IV-59MB Cast Brass

Finishes: 3, 5, 10B, 15, 15A, 26, 26D

PADLOCKS



\$-Discontinued. Call for closeout prices.

PRO-SERIES™ ALUMINUM PADLOCKS

Make OSHA Compliance Easy!!

Brightly colored locks for easy identification

1-9/16"
wide body

- Solid Aluminum Lock Bodies • Powder Coated Lock Bodies
- Hardened Steel Shackles • Stainless Steel Ball Bearings
- Brass Spool Pin Tumblers • Rekeyable Lock Bodies

1-9/16" wide solid aluminum body and 5-pin W6000 removable cylinder. Brightly colored locks for easy identification. Powder-coated finish last longer than anodized. 1/4" dia. hardened steel shackle. Shackle clearance 1-1/16" or 1-9/16" vertical, 25/32" horizontal.

Keyed Different With 5 pin W6000 Keyway

\$6835 KD 1-1/16" vertical clearance

\$6835 LF KD 1-9/16" vertical clearance

Keyed Alike* With 5 pin W6000 Keyway

\$6835 KA 1-1/16" vertical clearance

\$6835 LF KA 1-9/16" vertical clearance

Keyed 0-Bitted With 5 pin W6000 Keyway

\$6835 KZ 1-1/16" vertical clearance

Keyed 0-Bitted With 4 pin W1 Keyway

\$6835W1 KZ 1-1/16" vertical clearance

Keyed 0-Bitted With 5 pin W27 Keyway

\$6835W27 KZ 1-1/16" vertical clearance

Without Cylinder

\$6835WO 1-1/16" vertical clearance

\$6835WO LF 1-9/16" vertical clearance

\$6835WCS Body only-no shackle

***KEYED ALIKE NUMBERS STOCKED:**

- 6835 BLK KA:** 10G604.
- 6835 BLK LF KA:** 10G604.
- 6835 BLU KA:** 10G605.
- 6835 BLU LF KA:** 10G605.
- 6835 GRN KA:** 10G606.
- 6835 GRN LF KA:** 10G606.
- 6835 ORJ KA:** 10G607.
- 6835 ORJ LF KA:** 10G607.
- 6835 RED KA:** 10G608.
- 6835 RED LF KA:** 10G608.
- 6835 YLW KA:** 10G609.
- 6835 YLW LF KA:** 10G609.

TO ORDER:

Specify Padlock No. and Color


(Ex.) **6835BLK KD**

6835RED LF KA

6835W1 YLW KZ

See page 500 for cylinders and shackles.

RETAIL CARDED ALUMINUM PADLOCKS



Keyed Different With 5 pin K81KR Keyway

570DLHPF KD 2" vertical clearance

Solid aluminum lock body is lightweight, durable and resists corrosion. Dual ball locking for added protection from prying and hammering. Hardened steel shackles for added protection from cutting and sawing. 5-pin cylinder for maximum pick resistance. Keyed different. Body width: 1-1/2". Shackle diameter: 9/32". Horizontal shackle clearance: 3/4".

SOLID BRASS BODY

Solid brass bodies. Brass pin tumbler cylinder. Hardened steel shackle (Except No. 120 standard steel shackle), chrome plated. 2 brass keys. All padlocks are retail carded.



<u>Keyed Different</u>	<u>Body Width</u>	<u>Shackle Diameter</u>	<u>Horizontal Shackle Clearance</u>	<u>Vertical Shackle Clearance</u>	<u>Pin Tumblers</u>
120D KD	3/4"	5/32"	1/4"	7/16"	3
130D KD	1-3/16"	3/16"	9/16"	5/8"	4
140D KD	1-9/16"	1/4"	13/16"	7/8"	4
150D KD	2"	9/32"	1"	1"	5
160D KD	2-3/8"	11/32"	1-1/4"	1-1/8"	5
Keyed Alike*					
120D KA	3/4"	5/32"	1/4"	7/16"	3
130D KA	1-3/16"	3/16"	9/16"	5/8"	4
140D KA	1-9/16"	1/4"	13/16"	7/8"	4
150D KA	2"	9/32"	1"	1"	5

***KEYED ALIKE NUMBERS STOCKED:**

120D KA: 1A31, 1A36, 1A38. **130D KA:** 1B005, 1B008, 1B041.

140D KA: 1G003, 1G008, 1G022, 1G028, 1G032. **150D KA:** 1K062, 1K069.

©ZIPF LOCK COMPANY

PADLOCKS



SOLID BRASS BODY


Case hardened shackle resists sawing and filing. Brass body and cylinder provide extra resistance to the elements. Pin tumbler cylinder provides greater pick resistance.

<u>Keyed Different</u>	<u>Body Width</u>	<u>Shackle Diameter</u>	<u>Horizontal Shackle Clearance</u>	<u>Vertical Shackle Clearance</u>	<u>Pin Tumblers</u>
4120 KD	3/4"	5/32"	3/8"	7/16"	3
4130 KD	1-1/8"	3/16"	9/16"	9/16"	3
4140 KD	1-1/2"	1/4"	13/16"	13/16"	4
4150 KD	1-7/8"	9/32"	1"	15/16"	5
Keyed Alike*					
4120 KA	3/4"	5/32"	3/8"	7/16"	3
4130 KA	1-1/8"	3/16"	9/16"	9/16"	3
4140 KA	1-1/2"	1/4"	13/16"	13/16"	4
4150 KA	1-7/8"	9/32"	1"	15/16"	5

*KEYED ALIKE NUMBERS STOCKED:
4120 KA: 123, 132. **4130 KA:** 142, 314.
4140 KA: 2341, 3231. **4150 KA:** 41242, 41332

RETAIL CARDED SOLID BRASS BODY


Solid brass body is strong, durable and resists corrosion. Dual ball locking for added protection from prying and hammering. Hardened steel shackles for added protection from cutting and sawing. 5-pin cylinder for maximum pick resistance. 1-3/4" wide body, Shackle diameter: 5/16", Horizontal shackle clearance: 13/16".



Keyed Different with K81KR Keyway
576DPF 1" vertical clearance
576DLHPF 2" vertical clearance

RETAIL CARDED SOLID BRASS BODY REKEYABLE

1-3/4" solid brass body is strong, durable and resists corrosion. Dual ball locking for added protection from prying and hammering. Hardened boron alloy shackles for added protection from cutting and sawing. 5-pin cylinder for maximum pick resistance. 1-3/4" wide body, Shackle diameter: 5/16", Horizontal shackle clearance: 29/32". Removable cylinder for replacing or repinning.




Keyed Different with K81KR Keyway
996DPF 1-3/16" vertical clearance

LAMINATED BRASS BODY PIN TUMBLER




8 KA
1-1/8" wide body



4 KA
1-1/2" wide body



2 KA
1-3/4" wide body




6 KA
2" wide body

<u>Keyed Alike*</u>	<u>Body Width</u>	<u>Shackle Diameter</u>	<u>Horizontal Shackle Clearance</u>	<u>Vertical Shackle Clearance</u>	<u>Pin Tumblers</u>
2 KA 2357	1-3/4"	5/16"	3/4"	15/16"	4
4 KA 3476	1-1/2"	9/32"	5/8"	3/4"	4
6 KA A482	2"	3/8"	15/16"	1"	4
8 KA P504	1-1/8"	3/16"	1/2"	9/16"	4

PADLOCKS

See page 500 for cylinders and shackles.



1-9/16" wide body

1-3/4" wide body

2" wide body



PRO-SERIES™ BRASS PADLOCKS

Ideal When Corrosion is a Concern

- Solid Brass Lock Bodies • Stainless Steel Ball Bearings
- Hardened Steel and Boron Alloy Shackles
- Brass Spool Pin Tumblers • Rekeyable Lock Bodies

1-9/16" wide solid brass body and 5-pin W6000 removable cylinder. 1/4" dia. hardened steel shackle. Shackle clearance 1-1/16" or 1-9/16" vertical, 25/32" horizontal.

Keyed Different With 5 pin W6000 Keyway

6830 KD 1-1/16" vertical clearance

6830 LF KD 1-9/16" vertical clearance

Keyed Alike* With 5 pin W6000 Keyway

6830 KA 1-1/16" vertical clearance

6830 LF KA 1-9/16" vertical clearance

Keyed 0-Bitted With 5 pin W6000 Keyway

6830 KZ 1-1/16" vertical clearance

Keyed 0-Bitted With 4 pin W1 Keyway

6830W1 KZ 1-1/16" vertical clearance

Keyed 0-Bitted With 5 pin W27 Keyway

6830W27 KZ 1-1/16" vertical clearance

Without Cylinder

6830WO 1-1/16" vertical clearance

6830WO LF 1-9/16" vertical clearance

6830WCS Body only-no shackle

*KEYED ALIKE NUMBERS STOCKED:

6830KA: 10G601.

6830LF KA: 10G601.

1-3/4" wide solid brass body and 5-pin W6000 removable cylinder. 5/16" dia. hardened boron alloy shackle. Shackle clearance 1-3/16" or 2-7/16" vertical, 29/32" horizontal.

Keyed Different With 5 pin W6000 Keyway

6840 KD 1-3/16" vertical clearance

6840 LJ KD 2-7/16" vertical clearance

Keyed Alike* With 5 pin W6000 Keyway

6840 KA 1-3/16" vertical clearance

6840 LJ KA 2-7/16" vertical clearance

Keyed 0-Bitted With 5 pin W6000 Keyway

6840 KZ 1-3/16" vertical clearance

Keyed 0-Bitted With 4 pin W1 Keyway

6840W1 KZ 1-3/16" vertical clearance

Keyed 0-Bitted With 5 pin W27 Keyway

6840W27 KZ 1-3/16" vertical clearance

Without Cylinder

6840WO 1-3/16" vertical clearance

6840WO LJ 2-7/16" vertical clearance

6840WCS Body only-no shackle

*KEYED ALIKE NUMBERS STOCKED:

6840KA: 10G602.

6840LJ KA: 10G602.

2" wide solid brass body and 5-pin W6000 removable cylinder. 3/8" dia. hardened boron alloy shackle. Shackle clearance 1-1/2" or 2-1/2" vertical, 29/32" horizontal.

Keyed Different With 5 pin W6000 Keyway

6850 KD 1-1/2" vertical clearance

6850 LJ KD 2-1/2" vertical clearance

Keyed Alike* With 5 pin W6000 Keyway

6850 KA 1-1/2" vertical clearance

6850 LJ KA 2-1/2" vertical clearance

Keyed 0-Bitted With 5 pin W6000 Keyway

6850 KZ 1-1/2" vertical clearance

Keyed 0-Bitted With 4 pin W1 Keyway

6850W1 KZ 1-1/2" vertical clearance

Keyed 0-Bitted With 5 pin W27 Keyway

6850W27 KZ 1-1/2" vertical clearance

Without Cylinder

6850WO 1-1/2" vertical clearance

6850WO LJ 2-1/2" vertical clearance

6850WCS Body only-no shackle

*KEYED ALIKE NUMBERS STOCKED:

6850KA: 10G603.

6850LJ KA: 10G603.

PRO-SERIES™ BRASS PADLOCKS

Interchangeable Core (Core not included)

Accepts Best®, KSP®, Kaba® and Lor® Cores.

1-9/16" wide solid brass body, 1/4" dia. hardened steel shackle. Shackle clearance 1-1/16" or 1-9/16" vertical, 25/32" horizontal.

Without Cylinder

6831WO 1-1/16" vertical clearance


6831WO LF 1-9/16" vertical clearance

2" wide solid brass body, 3/8" dia. hardened boron alloy shackle. Shackle clearance 1-1/2" or 2-1/2" vertical, 29/32" horizontal.

Without Cylinder

6851WO 1-1/2" vertical clearance

6851WO LJ 2-1/2" vertical clearance



1-3/4" wide solid brass body, 5/16" dia. hardened steel shackle. Shackle clearance 1-3/16" or 2-7/16" vertical, 25/32" horizontal.

Without Cylinder


6841WO 1-3/16" vertical clearance

6841WO LJ 2-7/16" vertical clearance

PADLOCKS



PRO-SERIES™ BRASS PADLOCKS With Door Key Compatible Cylinder




Use the same key that opens your security doors. (improve key control - security - convenience - safety. Already keyed to your specific requirements. A padlock for any application requirement. A perfect connection to your door security system, including Schlage®, Kwikset®, Weiser®, Yale® and more.

6842 Series — 1-3/4" wide brass body, 1-3/16" vertical shackle clearance, 25/32" horizontal shackle clearance.

6852 Series — 2" wide brass body, 1-1/2" vertical shackle clearance, 29/32" horizontal shackle clearance.

<u>1-3/4" wide</u>	<u>2" wide</u>	<u>Keyway Description</u>
<u>Stock No.</u>	<u>Stock No.</u>	
6842 D01	6852 D01	Corbin® 59A1-A2
6842 D02	6852 D02	Sargent® S/U, Harloc SE-1 (composite). Lori L200
6842 D03	6852 D03	Yale® 8
6842 D04	6852 D04	Schlage® C
6842 D07	6852 D07	Corbin®/Russwin® L4
6842 D10	6852 D10	Arrow® K5, K6, L6A
6842 D11	6852 D11	Russwin® 981/852
6842 D12	6852 D12	Kwikset® (composite)
6842 D13	6852 D13	Weiser® (composite)
6842 D15	6852 D15	Yale® GA
6842 D28	6852 D28	Schlage® P (accepts C-L)
6842 D29	6852 D29	Corbin® 60
6842 D30	6852 D30	Russwin® D1
6842 D34	6852 D34	Schlage® E
6842 D36	6852 D36	Sargent® LA-LC (composite)
6842 D70	6852 D70	Sargent® RA-RC (composite)

PRO-SERIES™ BRASS PADLOCKS Without Cylinder



Accepts Schlage® (key-in-knob), Schlage® Primus, Assa®, Lori® #1539, Medeco® # 20W200

2" wide solid brass body accepts Schlage® (key-in-knob), Schlage® Primus, Assa®, Lori® #1539, Medeco® # 20W200 cylinders. 3/8" diameter hardened boron alloy shackle. Shackle clearance 1-1/2" or 2-1/2" vertical, 29/32" horizontal. **CYLINDER DRIVERS LISTED BELOW ARE REQUIRED.**

Without Cylinder

6852WO	1-1/2" vertical clearance
6852WO LJ	2-1/2" vertical clearance

CYLINDER DRIVERS (REQUIRED FOR 6852WO SERIES PADLOCKS)


Stock#	Description (poly bagged, 6 units per bag, SOLD BY THE BAG ONLY)
0298-0626	For Lori Cylinder #1539 6 pin cylinder for "A" series knob sets
0298-0627	For Medeco Cylinders #20W200 6 pin cylinder for "A" series knob set
0298-0628	For Schlage 6 pin cylinder for "A" series knob sets

Same as 6852's above
but without cylinder.

©ZIPF LOCK COMPANY

PADLOCKS

CABLE/CHAIN PADLOCKS




119D

- 1-1/8" wide laminated steel body.
- 3 ft. steel cable with protective vinyl sleeve.
- 3/16" diameter cable.



719D



1519D

- Combination cable lock.
- 1-7/8" double armored body.
- 3 ft. cable. 3/16" diameter.

1519D

No.	Padlock	Tumbler Type	Cable Length
119D KD	105	warded	3'
719D KD	7	pin	3'

KD-Keyed different.



Ideal for ladders, generators, toolboxes and gates. Integrated keyed locking mechanisms for strong pick resistance. Flexible steel cables for strong cut resistance. Protective coating helps prevent scratching. Smoke color cables with yellow lock body connectors. 3/8" diameter cable.

8154DPF 6' cable with lock



Ideal for ladders, generators, toolboxes and gates. Combination locking mechanisms for keyless convenience. Flexible steel cables for strong cut resistance. Protective coating helps prevent scratching. Features resettable combination. 3/8" diameter cable.

8119DPF 5' cable with lock

Patented locking mechanism holds the cable tight at any position from 1' to 6' for infinite locking positions. Rekeyable disc tumbler cylinder (1K keyway). 100% steel braided cable. Weather tough and rust resistant lock body. Vinyl sleeve and lock body bumper prevents scratching. Velcro strap holds excess cable for compact storage.


6' Python Adjustable Locking Cable

Contractor Grade Yellow body with Black Bumper
8413 KD Keyed Different

Commercial Boxed Yellow body with Black Bumper
8413 KA Keyed Alike: 0464, 3210, 3381, 3918,

Python Keying Kit (required for keying Python)

Contains components to rekey the Python disc tumbler cylinder
MA-8491 Keying Kit




"Set-Your-Own Combination" Luggage Lock


Security, convenience and style combined. Personal size combination locks are ideal for use with luggage, briefcases, sport bags and tool boxes. And with the Master Lock "Set-Your-Own Combination" lock, a simple four-step process allows the user to set a combination that's easy to remember because it's truly personal. In addition, the "combination window" design on the body of the lock makes the numbers easy to read.

For portable, convenient security on luggage, briefcases and cabinets, the Master Lock "Set-Your-Own Combination" is the lock of choice.

1. Corrosion-Resistant Brass-Plated Steel Shackle
2. Windows Make Viewing Combination Quick & Accurate
3. Black Zinc Alloy Body Complements Lockables
4. Combination Can Be Easily Changed
5. Ideal for Luggage, Briefcases, Sport Bags, Backpacks, Tool Boxes and Cabinets
6. Lifetime Guarantee



646D 3/4" lock




647D 1-1/4" lock



PADLOCKS

COMBINATION PADLOCKS

Master Lock



Minimum
of 10
padlocks



Strong double-wall construction — stainless steel outer case over wrought steel inner case. 3-number locking mechanism. Double-acting, solid steel locking lever. Self-locking, automatically disarranging tumblers. Inner parts rustproofed. Practically unlimited combinations. Case width 1-7/8". Brass dial, finished in black enamel with white numerals. Nickel-plated dialing knob, with diamond knurled edge. Built-in "sound effect" to prevent picking. Nickel-plated steel swivel shackle, diameter 9/32. Clearances: vertical - 3/4", horizontal - 13/16".

All features of No. 1500, plus key-controlled mechanism with brass cylinder, nickel-silver tumbler security. Designed for special installations such as schools, industrial plants, gymnasium locker rooms, etc. Not recommended for over-the-counter sales. Special security feature — keyway in back of lock. Individual user operates lock by dialing combination. Authorized person has control key, providing easy access to all lockers (control keys must be ordered separately). Installation record maintained at factory, on factory ordered padlocks, permitting extension system under same key.

The 2001 more than doubles combination lock strength and security. Hardened boron alloy shackle resists cutting, sawing, prying and impact. Dual ball-bearing deadbolt locks both shackle legs. Stainless steel outer case surrounds massive solid inner case. Rugged rim-reinforced dial resists prying and knock-off. Smooth 3-number dialing. Thousands of possible combinations. Self-locking, automatically disarranging tumblers, and dial spin-off. Combinations can't be "felt out". Case width 2-3/16". Shackle diameter 5/16". Clearances: vertical 1", horizontal 15/16". Black dial. Lifetime warranty.

No.	Description
1500	Combination Different
1500 KA	Combination Alike

No.	Description
1525 V689	Key-controlled Padlock
1525K V689	V689 Key

No.	Description
2001	Combination Different
2001 KA	Combination Alike

*KEYED ALIKE NUMBERS STOCKED:
1500 KA: 904226.

Other numbers factory order only


*KEYED ALIKE NUMBERS STOCKED:
2001 KA: 800001.

Master Lock



SmoothSpin™ Combination Padlocks with Key-Controlled Mechanism. Great for School, Industrial, gymnasium locker rooms.


Minimum
of 10
padlocks



SmoothSpin™ combination Different, control key feature, standard 11/16" shackle clearance, 9/32" shackle diameter, black dial. See 1525 padlock above for more information.

Stock No.	Description
2076 V689	Key-controlled Padlock
1525K V689	V689 Key


RESETTABLE COMBINATION PADLOCKS



175



177



176

178BLK

176 has control key cylinder on side of padlock to open padlock without using combination.

Set-your-own 4-digit combination convenience and security. Reset to any of 10,000 personalized combinations. 2" wide solid brass case for strength and weatherability. Hardened steel shackles for cut resistant. No. 177 shrouded shackle provides maximum cut resistance. No. 178BLK offers economical die cast construction, black in color.

Stock No.	Shackle Diameter	Horizontal Shackle Clearance	Vertical Shackle Clearance
175	5/16"	1"	1"
175 LH	5/16"	1"	2-1/4"
176	5/16"	1"	1"
176 LH	5/16"	1"	2-1/4"
177	5/16"	1"	1"
178BLK	5/16"	1"	1"

K176CR
Control key for 176 padlocks. (P812)


©ZIPF LOCK COMPANY

PADLOCKS

HASPS




GENERAL USE HASPS



Hard wrought steel bodies for strength. Hardened steel staples resist cutting and sawing. Hardened steel locking eyes for strong cut resistance. Tamper proof hinges help resist prying.

No.	Hasp Length	Up to Shackle Dia.
702D	2-1/2"	9/32"
703D	3-1/2"	11/32"
704D	4-1/2"	1/2"


HEAVY-DUTY GENERAL HASP



Hardened steel body with reinforced plate for strength. Hardened steel staples resist cutting and sawing. Hardened steel locking eyes for strong cut resistance. Tamper proof hinges help resist prying.

No.	Hasp Length	Up to Shackle Dia.
706D	6"	9/16"


PADLOCK EYES




Steel padlock eyes with large diameter shackle hole (accepts up to 1/2" diameter shackle) Mount virtually anywhere. Ideal for gates and shed doors.

60 Flat orientation Padlock eyes


HIGH SECURITY HASPS - RETAIL CARDED



721DPF
Single Hinge
8" length
Shackle Dia. up to 7/16"



722DPF
Double Hinge
7-3/4" length
Shackle Dia. up to 7/16"




720DPF
Single Hinge
6-1/4" length
Shackle Dia. up to 7/16"

High Security - Special Application


Single and double hinged designs are ideal to fit most corners and angles to secure hard-to-lock property. Recommended for use with Master Lock medium and high security padlocks.

- Heavy gauge hardened steel protects against cutting and sawing.
- Hardened Boron Alloy staple resist cutting and sawing.
- Rolled edges protect against prying and conceal mounting screws.
- Hinge pins are hidden and are virtually impossible to remove.


HEAVY DUTY HASPS - RETAIL CARDED




730DPF
Straight
7-1/4" length
Shackle Dia. up to 7/16"



731DPF
90° Angle Bracket
5-3/16" length
Shackle Dia. up to 7/16"



732DPF
90° Angle Bar
4-3/4" length
Shackle Dia. up to 7/16"



770
7-1/4" length x 4-1/2" width
For use with 6270 & 6271 padlocks.
770 is commercial boxed product

PADLOCKS

PRO SERIES

Master Lock



WEATHER TOUGH™ REKEYABLE COMMERCIAL USE PADLOCKS

Pro Series Weather Tough™ rekeyable padlocks from Master Lock not only stand up to severe abuse, they also stand up to severe weather. Designed especially for outdoor commercial use, these Pro Series locks feature tough hardened BORON alloy shackles to repel saws and bolt cutters. Dual locking shackles resist forcing or prying, and special pick resistant spool pins prevent unauthorized entry. But what makes these padlocks unique is their weather tough design. A durable thermal plastic cover protects the lock body and key cylinder from dirt, dust, and other contaminants. Special drain channels actually move water and other debris through the lock body and away from the lock mechanism for years of trouble free operation in the most severe conditions. Pro Series Weather Tough™ locks are ideal for outdoor commercial applications where weather is a problem and security is a concern.



2-1/8" wide body



2-3/8" wide body



2-5/8" wide body

Master Pro Series Weather Tough™ padlock with 2-1/8" wide steel case and 5-pin W6000 removable cylinder. Replaceable 5/16" dia. hardened BORON alloy shackle. Shackle clearance 1-1/8" or 2-3/8" vertical, 7/8" horizontal. Dual hardened steel balls lock each shackle leg independently. Weather resistant thermal plastic lock cover and cylinder dust cover.

Keyed Different With 5 pin W6000 Keyway

- 6121 KD** 1-1/8" vertical clearance
- 6121LJ KD** 2-3/8" vertical clearance

Keyed Alike* With 5 pin W6000 Keyway

- 6121 KA** 1-1/8" vertical clearance
- 6121LJ KA** 2-3/8" vertical clearance

Keyed 0-Bitted With 5 pin W6000 Keyway

- 6121 KZ** 1-1/8" vertical clearance

Keyed 0-Bitted With 4 pin W1 Keyway

- 6121W1 KZ** 1-1/8" vertical clearance

Keyed 0-Bitted With 5 pin W27 Keyway

- 6121W27 KZ** 1-1/8" vertical clearance

Without Cylinder

- 6121WO** 1-1/8" vertical clearance
- 6121WO LJ** 2-3/8" vertical clearance

***KEYED ALIKE NUMBERS STOCKED:**

- 6121 KA:**
 10G010, 10G015, 10G016, 10G030, 10G056, 10G201, 10G214, 10G221, 10G228, 10G377, 10G378, 10G389, 10G450, 10G510, 10G630, 11G007, 11G041
6121LJ KA:
 10G010, 10G011, 10G030, 10G056, 10G214, 10G221, 10G393, 10G450, 10G510

Master Pro Series Weather Tough™ padlock with 2-3/8" wide steel case and 5-pin W6000 removable cylinder. Replaceable 3/8" dia. hardened BORON alloy shackle. Shackle clearance 1-3/8" or 2-3/8" vertical, 7/8" horizontal. Dual hardened steel balls lock each shackle leg independently. Weather resistant thermal plastic lock cover and cylinder dust cover.

Keyed Different With 5 pin W6000 Keyway

- 6125 KD** 1-3/8" vertical clearance
- 6125LJ KD** 2-3/8" vertical clearance

Keyed Alike* With 5 pin W6000 Keyway

- 6125 KA** 1-3/8" vertical clearance
- 6125LJ KA** 2-3/8" vertical clearance

Keyed 0-Bitted With 5 pin W6000 Keyway

- 6125 KZ** 1-3/8" vertical clearance

Keyed 0-Bitted With 4 pin W1 Keyway

- 6125W1 KZ** 1-3/8" vertical clearance

Keyed 0-Bitted With 5 pin W27 Keyway

- 6125W27 KZ** 1-3/8" vertical clearance

Without Cylinder

- 6125WO** 1-3/8" vertical clearance
- 6125WO LJ** 2-3/8" vertical clearance

***KEYED ALIKE NUMBERS STOCKED:**

- 6125 KA:**
 10G016, 10G057, 10G073, 10G225, 10G330, 10G376, 10G377, 10G379, 10G466, 10G510
6125LJ KA:
 10G300, 11G019

Master Pro Series Weather Tough™ padlock with 2-5/8" wide steel case and 5-pin W6000 removable cylinder. Replaceable 7/16" dia. hardened BORON alloy shackle. Shackle clearance 1-3/8" or 1-7/8" vertical, 7/8" horizontal. Dual hardened steel balls lock each shackle leg independently. Weather resistant thermal plastic lock cover and cylinder dust cover.

Keyed Different With 5 pin W6000 Keyway

- 6127 KD** 1-3/8" vertical clearance
- 6127LH KD** 1-7/8" vertical clearance

Keyed Alike* With 5 pin W6000 Keyway

- 6127 KA** 1-3/8" vertical clearance
- 6127LH KA** 1-7/8" vertical clearance

Keyed 0-Bitted With 5 pin W6000 Keyway

- 6127 KZ** 1-3/8" vertical clearance

Keyed 0-Bitted With 4 pin W1 Keyway

- 6127W1 KZ** 1-3/8" vertical clearance

Keyed 0-Bitted With 5 pin W27 Keyway

- 6127W27 KZ** 1-3/8" vertical clearance

Without Cylinder

- 6127WO** 1-3/8" vertical clearance
- 6127WO LH** 1-7/8" vertical clearance

***KEYED ALIKE NUMBERS STOCKED:**

- 6127 KA:**
 10G005, 10G016, 10G106, 10G180, 10G235, 10G377, 10G380, 10G507, 10G740
6127LH KA:
 10G106, 10G180, 10G235

• See page 500 for cylinders and shackles for 6121, 6125, 6127 Series padlocks •

PADLOCKS

PRO SERIES



HIGH SECURITY REKEYABLE COMMERCIAL USE PADLOCKS

Pro Series High Security rekeyable padlocks from Master Lock match your toughest security threats. Designed especially for high security commercial use, these Padlocks feature hardened BORON alloy shackles which provide up to 16,000 pounds of shackle pull strength and include dual deadbolt locking for extreme resistance to prying. Massive steel shackle guard repels saw and bolt cutter attacks. Five pin cylinders with special pick resistant spool pins make the locks virtually impossible to pick. These features combine to make Pro Series High Security locks stand up to an incredible attack. All locks have precision, removable cylinders and replaceable shackles.



2-1/8" wide body

Master Pro Series High Security padlock with 2-1/8" wide steel case and 5-pin W6000 removable cylinder. Massive steel shackle guard protects shackle from saws, bolt cutters, and shackle prying. Replaceable 5/16" dia. hardened BORON alloy shackle. Shackle clearance 3/4" vertical, 7/8" horizontal. Dual hardened steel balls lock each shackle leg independently. Weather resistant thermal plastic lock cover.

Keyed Different With 5 pin W6000 Keyway
6321 KD 3/4" vertical clearance

Keyed Alike* With 5 pin W6000 Keyway
6321 KA 3/4" vertical clearance


Keyed 0-Bitted With 5 pin W6000 Keyway
6321 KZ 3/4" vertical clearance

Keyed 0-Bitted With 4 pin W1 Keyway
6321W1 KZ 3/4" vertical clearance

Keyed 0-Bitted With 5 pin W27 Keyway
6321W27 KZ 3/4" vertical clearance

Without Cylinder
6321WO 3/4" vertical clearance

*KEYED ALIKE NUMBERS STOCKED:
6321 KA: 10G158, 10G563



2-3/8" wide body

Master Pro Series High Security padlock with 2-3/8" wide steel case and 5-pin W6000 removable cylinder. Massive steel shackle guard protects shackle from saws, bolt cutters, and shackle prying. Replaceable 3/8" dia. hardened BORON alloy shackle. Shackle clearance 3/4" vertical, 7/8" horizontal. Dual hardened steel balls lock each shackle leg independently. Weather resistant thermal plastic lock cover.

Keyed Different With 5 pin W6000 Keyway
6325 KD 3/4" vertical clearance

Keyed Alike* With 5 pin W6000 Keyway
6325 KA 3/4" vertical clearance


Keyed 0-Bitted With 5 pin W6000 Keyway
6325 KZ 3/4" vertical clearance

Keyed 0-Bitted With 4 pin W1 Keyway
6325W1 KZ 3/4" vertical clearance

Keyed 0-Bitted With 5 pin W27 Keyway
6325W27 KZ 3/4" vertical clearance

Without Cylinder
6325WO 3/4" vertical clearance

*KEYED ALIKE NUMBERS STOCKED:
6325 KA: 10G016, 10G158, 10G377, 10G388, 10G468



2-5/8" wide body

Master Pro Series High Security padlock with 2-5/8" wide steel case and 5-pin W6000 removable cylinder. Massive steel shackle guard protects shackle from saws, bolt cutters, and shackle prying. Replaceable 7/16" dia. hardened BORON alloy shackle. Shackle clearance 3/4" vertical, 7/8" horizontal. Dual hardened steel balls lock each shackle leg independently. Weather resistant thermal plastic lock cover.

Keyed Different With 5 pin W6000 Keyway
6327 KD 3/4" vertical clearance

Keyed Alike* With 5 pin W6000 Keyway
6327 KA 3/4" vertical clearance

Keyed 0-Bitted With 5 pin W6000 Keyway
6327 KZ 3/4" vertical clearance

Keyed 0-Bitted With 4 pin W1 Keyway
6327W1 KZ 3/4" vertical clearance

Keyed 0-Bitted With 5 pin W27 Keyway
6327W27 KZ 3/4" vertical clearance

Without Cylinder
6327WO 3/4" vertical clearance

*KEYED ALIKE NUMBERS STOCKED:
6327 KA: 10G158, 10G306

Master Pro Series High Security padlock with 2-1/2" wide steel case and 5-pin W6000 removable cylinder. Massive solid steel lock body is hardened for saw and hammer resistance. Replaceable 7/16" dia. hardened BORON alloy shackle. Shackle clearance 1-1/8" or 2" vertical, 7/8" horizontal. Dual hardened steel balls lock each shackle leg independently.



2-1/2" wide body

Keyed Different With 5 pin W6000 Keyway
6230 KD 1-1/8" vertical clearance
6230LH KD 2" vertical clearance

Keyed Alike* With 5 pin W6000 Keyway
6230 KA 1-1/8" vertical clearance
6230LH KA 2" vertical clearance

Keyed 0-Bitted With 5 pin W6000 Keyway
6230 KZ 1-1/8" vertical clearance

Keyed 0-Bitted With 4 pin W1 Keyway
6230W1 KZ 1-1/8" vertical clearance

Keyed 0-Bitted With 5 pin W27 Keyway
6230W27 KZ 1-1/8" vertical clearance

Without Cylinder
6230WO 1-1/8" vertical clearance
6230WO LH 2" vertical clearance


*KEYED ALIKE NUMBERS STOCKED:
6230 KA: 10G127, 10G233
6230LH KA: 10G127

• See page 500 for cylinders and shackles •

PADLOCKS

PRO-SERIES

Master Lock



WEATHER TOUGH® & HIGH SECURITY PADLOCKS

SERIES 6400 & 6500 INTERCHANGEABLE CORE PADLOCKS

- For Added Convenience And Key Control
- Accepts Best®, KSP®, Kaba®, and Lori® Cylinders
 - Laminated Steel Padlocks
 - Boron Alloy Shackles
 - Dual Ball Bearing Shackle Locking



- 2-1/8" wide lock body, thermoplastic lock body cover, without cylinder

Stock No.	Vertical Clear.	Horizontal Clear.	Shackle Dia.
6421WO	1-1/8"	7/8"	5/16"
6421WO LJ	2-3/8"	7/8"	5/16"

- 2-1/8" wide lock body, shrouded shackle, without cylinder

Stock No.	Vertical Clear.	Horizontal Clear.	Shackle Dia.
6521WO	3/4"	7/8"	5/16"

- 2-5/8" wide lock body, thermoplastic lock body cover, without cylinder

Stock No.	Vertical Clear.	Horizontal Clear.	Shackle Dia.
6427WO	1-3/8"	7/8"	7/16"
6427WO LH	1-7/8"	7/8"	7/16"

- 2-5/8" wide lock body, shrouded shackle, without cylinder

Stock No.	Vertical Clear.	Horizontal Clear.	Shackle Dia.
6527WO	3/4"	7/8"	7/16"

SERIES 6600 & 6700 DOOR HARDWARE CYLINDER PADLOCKS

- For Added Convenience And Key Control
- Accepts Standard Door Hardware Cylinders including Schlage®, Medeco®, and Lori® 1539 Series
 - Lock bodies come complete with cylinder retainer plugs
 - **Lock bodies require cylinder drivers - order separately**
 - Rekeyable, only an allen wrench is needed to complete cylinder replacement
 - Laminated Steel Padlocks
 - Boron Alloy Shackles



- 2-1/8" wide lock body, thermoplastic lock body cover, without cylinder

Stock No.	Vertical Clear.	Horizontal Clear.	Shackle Dia.
6621WO	1-1/8"	7/8"	5/16"
6621WO LJ	2-3/8"	7/8"	5/16"

- 2-1/8" wide lock body, shrouded shackle, without cylinder

Stock No.	Vertical Clear.	Horizontal Clear.	Shackle Dia.
6721WO	3/4"	7/8"	5/16"

- 2-5/8" wide lock body, thermoplastic lock body cover, without cylinder

Stock No.	Vertical Clear.	Horizontal Clear.	Shackle Dia.
6627WO	1-3/8"	7/8"	7/16"
6627WO LH	1-7/8"	7/8"	7/16"

- 2-5/8" wide lock body, shrouded shackle, without cylinder

Stock No.	Vertical Clear.	Horizontal Clear.	Shackle Dia.
6727WO	3/4"	7/8"	7/16"

CYLINDER DRIVERS (REQUIRED FOR 6600 & 6700 SERIES PADLOCKS)

Stock#	Description (poly bagged, 6 units per bag, SOLD BY THE BAG ONLY)
0298-0626	For Lori Cylinder #1539 6 pin cylinder for "A" series knob sets
0298-0627	For Medeco Cylinders #20W200 6 pin cylinder for "A" series knob set
0298-0628	For Schlage 6 pin cylinder for "A" series knob sets

©ZIPF LOCK COMPANY



PADLOCKS

LAMINATED PIN TUMBLER PADLOCKS



1-3/4" wide body

NOTE: The new design shown is a rolling change. We can not guarantee that you don't get the old style, shown below.



1-1/2" wide body

1-3/4" wide laminated steel body. Brass cylinder, 4 pin tumbler security. Nickel-plated locking lever. Hardened steel shackle, diameter 5/16". Clearances: vertical 15/16", 1-1/2", 2-1/2", 5-3/4" horizontal 3/4". 2 brass keys, thousands of changes.

Keyed Different

- 1 KD** 15/16" vertical clearance.
- 1LF KD** 1-1/2" vertical clearance.
- 1LJ KD** 2-1/2" vertical clearance.
- 1LN KD** 5-3/4" vertical clearance.

Keyed Alike*

- 1 KA** 15/16" vertical clearance
- 1LF KA** 1-1/2" vertical clearance.
- 1LJ KA** 2-1/2" vertical clearance.
- 1LN KA** 5-3/4" vertical clearance.

Master Keyed

- 1 MK** 15/16" vertical clearance.

***KEYED ALIKE NUMBERS STOCKED:**

1 KA

2001, 2002, 2003, 2004, 2006, 2007, 2008, 2012, 2016, 2035, 2037, 2043, 2048, 2081, 2089, 2093, 2094, 2120, 2126, 2141, 2173, 2174, 2179, 2246, 2258, 2265, 2286, 2310, 2314, 2334, 2342, 2346, 2350, 2355, 2356, 2357, 2359, 2368, 2387, 2396, 2402, 2405, 2426, 2428, 2438, 2506, 2513, 2520, 2526, 2560, 2654, 2688, 2692, 2730, 2751, 2769, 2827, 2849, 2917, 2962, 3900, X2094, X2121, X2355, X2388, X2621

1LF KA

2001, 2002, 2006, 2121, 2126, 2162, 2180, 2334, 2359, 2402, 2490, 2751, X2094, X2285, X2355.

1LJ KA

2001, 2002, 2126, 2204, 2359, 2387, 2402, 2490, 2506, 2729, 2751, 2906, 2984, X2094,

1LN KA

2001, 2126, 2387, 2530, 2558, X2282

1 MK (Also stock cut master keys for below)

SM1, SM19, SM20, SM23, SM202.

1-1/2" wide laminated steel body. Brass cylinder, 4 pin tumbler security. Nickel-plated locking lever. Hardened steel shackle, diameter 9/32". Clearances: vertical 3/4", 1-1/2", 2", horizontal 5/8". 2 brass keys, thousands of changes.

Keyed Different

- 3 KD** 3/4" vertical clearance.
- 3LF KD** 1-1/2" vertical clearance.
- 3LH KD** 2" vertical clearance.

Keyed Alike*

- 3 KA** 3/4" vertical clearance
- 3LF KA** 1-1/2" vertical clearance.
- 3LH KA** 2" vertical clearance.

Master Keyed

- 3 MK** 3/4" vertical clearance.

***KEYED ALIKE NUMBERS STOCKED:**

3 KA

0302, 0316, 0333, 0352, 0356, 0392, 0405, 0464, 0505, 0533, 0536, 0594, 0707, 0851, 0895, 0909, 2634, 3033, 3063, 3101, 3120, 3202, 3206, 3210, 3212, 3213, 3217, 3220, 3221, 3232, 3237, 3248, 3250, 3252, 3253, 3301, 3303, 3328, 3341, 3354, 3358, 3361, 3369, 3379, 3381, 3447, 3450, 3460, 3464, 3476, 3484, 3529, 3573, 3605, 3620, 3621, 3623, 3673, 3687, 3704, 3735, 3752, 3753, 3769, 3779, 3807, 3814, 3867, 3850, 3870, 3900, 3918, 3932, 3945, 3964, 3965, 3979, 3995, A389

3LF KA

0464, 0536, 3210, 3252, 3303, 3369, 3621, 3673, 3752, 3753, 3850, 3867, 3900.

3LH KA

0464, 0536, 0851, 0889, 3210, 3252, 3303, 3309, 3369, 3521, 3621, 3712, 3752, 3753, 3867, 3979.

3 MK (Also stock cut master keys for below)

SM729, SM731, SM732, SM734, SM737, SM739, SM742, SM743.

KEY RETAINING (Same as No. 3 at above)

Ensures padlock is not left unlocked


Keyed Different

- 11 KD** 3/4" vertical clearance.
- 11LF KD** 1-1/2" vertical clearance.
- 11LH KD** 2" vertical clearance.

Keyed Alike (to # 0464)

- 11 KA** 3/4" vertical clearance

Master Lock.



312
(Box Packed)

312D

Master's #3 padlock with a hi-tech blue plastic cover!

Quick snap cap minimizes key cylinder jams caused by dust, dirt, and freezing. Hi-tech thermoplastic cover withstands temperature extremes and sunlight without becoming brittle or cracked. Hardened steel shackle with molded cover.


Stock No. Description

Boxed Product—

- 312** Keyed Different
- 312 KA** Keyed Alike (3409 or 3410)

Retail Carded Product—

- 312D** Keyed Different



VENDING & METER LOCK

Prevents access to vending and utility valve equipment. 1-1/2" wide laminated steel body. Hardened shackle spins for extra cut resistance. 4 pin tumbler cylinder. Shackle 3/8" diameter. Keyed-Alike only.

STEEL BODY

- No. Clearance (A)
- \$443LE KA** 7/8" shackle
- Keyed Alike No.: 3693.

-\$-Discontinued. Call for closeout prices.

PADLOCKS

LAMINATED PIN TUMBLER PADLOCKS



NEW
STYLE*



2" wide body

2" wide laminated steel body. Brass cylinder, 4 pin tumbler security. Nickel-plated locking lever. Hardened boron alloy shackle, diameter 3/8". Clearances: vertical 1", 1-1/2", 2-1/2", horizontal 15/16". 2 brass keys, thousands of changes.

Keyed Different

- 5 KD** 1" vertical clearance.
- 5LF KD** 1-1/2" vertical clearance.
- 5LJ KD** 2-1/2" vertical clearance.

Keyed Alike*

- 5 KA** 1" vertical clearance
- 5LF KA** 1-1/2" vertical clearance.
- 5LJ KA** 2-1/2" vertical clearance.

Master Keyed

- 5 MK** 1" vertical clearance.

***KEYED ALIKE NUMBERS STOCKED:**

5 KA
A104, A105, A112, A117, A118, A163, A225, A227, A255, A272, A283, A297, A376, A382, A383, A389, A392, A408, A411, A426, A441, A445, A473, A501, A518, A528, A549, A613, A614, A636, A690, A731, A745, A879, A960, A1010, A1159, A1182, A1186, A1384

5LF KA
A272, A383, A389, A473, A475, A627, A636, A844, A879, A956.

5LJ KA
A112, A272, A283, A380, A383, A389, A435, A473, A636, A1078.

5 MK (Also stock cut master keys for below)
SM894, SM897

**RETAIL CARDED PRODUCT
with yellow bumper**

Key Different

- 5DLFPF** 1-1/2" vertical clearance
- 5TRILFPF** 1-1/2" vertical clearance
3-Pack of No. 5LF keyed alike.

ONE KEY SYSTEM™ - (UP)


Customers want their padlocks to work with their existing keys. Until now, their options have been limited. They could search for a retailer that stocked their number, factory order the padlocks and wait weeks, or buy padlocks that don't match their keys and add more keys, and confusion, to their key ring.

The **Master Lock One Key System™** solves the problem. Now every No. 1, No. 3 or No. 5 padlock your customer buys can be keyed to their existing key (1K keyway), on the spot.

It's easy and convenient. If the customer's key is a Master 1K keyway, in-store customer keying of a Master No. 1, No. 3 or No. 5 padlock can be performed in minutes.

MA-376


Punch tool to set up the cylinder of an un-coded "UP" padlock with the tap of a hammer.



NOTE: The new design shown is a rolling change. We can not guarantee that you don't get the old style, shown below.



1-3/4" wide body




- 1UP** 15/16" vertical clearance
- 1UP LJ** 2-1/2" vertical clearance




1-1/2" wide body


- 3UP** 3/4" vertical clearance
- 3UP LF** 1-1/2" vertical clearance



Insert key into padlock cylinder.




Using the fixture, push the plug into the cylinder to shear the pins.



Continue pushing the plug into lock body. Padlock is now custom keyed.

*(Patent Pending)



2" wide body

- 5UP** 1" vertical clearance
- 5UP LF** 1-1/2" vertical clearance

PADLOCKS

LAMINATED PIN TUMBLER PADLOCKS



NOTE: The new design shown is a rolling change. We can not guarantee that you don't get the old style, shown below.



1-1/8" wide body

1-1/8" wide laminated steel body. Brass cylinder, 4 pin tumbler security. Nickel-plated locking lever. Steel shackle, diameter 3/16". Clearances: vertical 9/16", 1-1/2", 2-1/2", horizontal 1/2". 2 brass keys, over 1500 changes.

Keyed Different

- 7 KD** 9/16" vertical clearance.
- 7LF KD** 1-1/2" vertical clearance.
- 7LJ KD** 2-1/2" vertical clearance.

Keyed Alike*

- 7 KA** 9/16" vertical clearance
- 7LF KA** 1-1/2" vertical clearance.
- 7LJ KA** 2-1/2" vertical clearance.

Master Keyed

- 7 MK** 9/16" vertical clearance.

***KEYED ALIKE NUMBERS STOCKED:**

7 KA
P104, P105, P150, P153, P163, P164, P185, P216, P241, P282, P287, P375, P394, P451, P467, P477, P491, P492, P493, P498, P506, P508, P605, P609, P617, P761, P763, P797, P812, P848
7LF KA
P445, P451, P656, P709, P763, P812.
7LJ KA
P754, P812, P818.
7 MK (Also stock cut master keys for below)
SM69, SM71, SM74, SM75, SM77.



2-1/2" wide body

2-1/2" wide laminated steel body. 5 pin tumbler cylinder. Hardened boron alloy shackle, diameter 7/16". Clearances: vertical 1-1/4", 2", horizontal 13/16". Paracentric keyway, more than 9000 changes.

Keyed Different

- 15 KD** 1-1/4" vertical clearance.
- 15LH KD** 2" vertical clearance.

Keyed Alike*

- 15 KA** 1-1/4" vertical clearance
- 15LH KA** 2" vertical clearance.

***KEYED ALIKE NUMBERS STOCKED:**

15 KA
10N012, 10N042, 10N136, 10N619, 10N650, 19N451.
15LH KA
10N032, 10N134, 10N216, 10N650.



2" wide body

2" wide laminated steel body. 5 pin tumbler cylinder. Hardened boron alloy shackle, diameter 7/16". Clearances: vertical 1", 2", horizontal 3/4". Paracentric keyway, more than 9000 changes.

Keyed Different

- 17 KD** 1" vertical clearance.
- 17LH KD** 2" vertical clearance.

Keyed Alike*

- 17 KA** 1" vertical clearance
- 17LH KA** 2" vertical clearance.

***KEYED ALIKE NUMBERS STOCKED:**

17 KA
10T019, 10T369, 10T455, 10T808, 19T455, 19T462.
17LH KA
10T027, 10T365.

RETAIL CARDED PRODUCT with yellow bumper


Key Different

- 15DPF** 1-1/4" vertical clearance

RETAIL CARDED PRODUCT with yellow bumper

Key Different

- 17DPF** 1" vertical clearance



WIDE BODY

Extra wide reach for commercial freezers and other special applications. Removable cylinder can be replaced or repinned. 3-1/4" wide laminated steel body. Hardened boron alloy shackle, diameter 5/16". Clearance: vertical 3", horizontal 2-1/4"

- | No. | Description |
|---------------|-----------------------|
| 101 KD | Keyed differently |
| 101 KA | Keyed Alike #10L467 |
| 101WO | Lock without cylinder |

Separate cylinders available to match other Master padlocks. **SEE PAGE 490.**

PADLOCKS

LAMINATED BRASS BODY PIN TUMBLER PADLOCKS



1-3/4" wide body

1-3/4" wide brass laminated body. 4 pin tumbler cylinder. Hardened steel shackle, chrome plated, diameter 5/16". Dual brass locking levers. Clearances: vertical 15/16", horizontal 3/4". 2 brass keys.

Keyed Alike*

2 KA 15/16" vertical clearance

***KEYED ALIKE NUMBERS STOCKED:**

2 KA
2357



1-1/2" wide body


1-1/2" wide brass laminated body. 4 pin tumbler cylinder. Hardened steel shackle, chrome plated, diameter 9/32". Dual brass locking levers. Clearances: vertical 3/4", horizontal 5/8". 2 brass keys.

Keyed Alike*

4 KA 3/4" vertical clearance

***KEYED ALIKE NUMBERS STOCKED:**

4 KA
3476



2" wide body

2" wide brass laminated body. 4 pin tumbler cylinder. Hardened boron alloy shackle, chrome plated, diameter 3/8". Dual brass locking levers. Clearances: vertical 1", horizontal 15/16". 2 brass keys.

Keyed Alike*

6 KA 1" vertical clearance

***KEYED ALIKE NUMBERS STOCKED:**

6 KA
A482



1-1/8" wide body

1-1/8" wide brass laminated body. 4 pin tumbler cylinder. Steel shackle, chrome plated, diameter 3/16". Nickel plated locking levers. Clearances: vertical 9/16", horizontal 1/2". 2 brass keys.


Keyed Alike*

8 KA 9/16" vertical clearance

***KEYED ALIKE NUMBERS STOCKED:**

8 KA
P504

COVERED LAMINATED REKEYABLE PIN TUMBLER PADLOCKS — RETAIL CARDED



Keyed Different

911DPF KD 1-1/8" vertical clearance

Designed to meet the needs of contractors and small businesses. 2-1/8" wide reinforced laminated steel body. Hardened boron alloy shackle, 5/16" diameter, for maximum cut resistance. Horizontal shackle clearance is 7/8". 5-pin cylinder helps prevent picking. Removable cylinder can be replaced or repinned. Dual ball bearing locking for maximum pry resistance. "FlexFit" keyway cover minimizes jamming. Ideal for outdoor applications.



Keyed Different

931DPF KD 3/4" vertical clearance

Designed to meet the needs of contractors and small businesses. 2-1/8" wide reinforced laminated steel body for superior strength and weatherability. Solid metal shroud for maximum pry and cut resistance. Hardened boron alloy shackle, 5/16" diameter, for maximum cut resistance. Horizontal shackle clearance is 7/8". 5-pin cylinder helps prevent picking. Removable cylinder can be replaced or repinned. Dual ball bearing locking for maximum pry resistance.

PADLOCKS

LAMINATED REKEYABLE PIN TUMBLER PADLOCKS



High-security padlocks from Master, offering special removable-cylinder provision. Easy for authorized person to quickly match-up to existing keyed-alike or master-keyed systems, or to change lock cylinder whenever the security of an existing key becomes doubtful due to loss of key, turnover in personnel, etc. Nos. 21, 25 and 27 are also available with separate shackles allowing users to install a variety of shackle lengths in lock bodies on-the-spot, eliminating the need to stock extensive inventories (lock bodies come with shackle retainer plate unclenched; simply add desired shackle and clench the plate to permanently anchor the shackle in the body).

SERIES 21

1-3/4" wide laminated steel body. Pin tumbler cylinder and special keyway. Hardened steel shackle 5/16" diameter. Shackle clearance 15/16", 1-1/2", 2-1/2" or 5-3/4" vertical, 3/4" horizontal. Dual hardened-steel levers lock each shackle independently. (Bodies also available without shackles installed to accept a range of optional long shackles.)

Keyed Different With 5 Pin 27K Keyway

21 KD	15/16" vertical clearance.
21LF KD	1-1/2" vertical clearance.
21LJ KD	2-1/2" vertical clearance.

Keyed Different With 4 Pin 1K Keyway

21W1 KD	15/16" vertical clearance.
----------------	----------------------------

Keyed Alike* With 5 Pin 27K Keyway

21 KA	15/16" vertical clearance.
21LF KA	1-1/2" vertical clearance.
21LJ KA	2-1/2" vertical clearance.

Keyed Alike* With 4 Pin 1K Keyway

21W1 KA	15/16" vertical clearance.
----------------	----------------------------

Keyed 0-Bitted With 5 Pin 27K Keyway

21 KZ	15/16" vertical clearance.
--------------	----------------------------

Keyed 0-Bitted With 4 Pin 1K Keyway

21W1 KZ	15/16" vertical clearance.
21W1LF KZ	1-1/2" vertical clearance.
21W1LJ KZ	2-1/2" vertical clearance.

Without Cylinder

21WO	15/16" vertical clearance.
21WO LF	1-1/2" vertical clearance.
21WO LJ	2-1/2" vertical clearance.
21WO LN	5-3/4" vertical clearance.
21WCS	Body only-no shackle.


*KEYED ALIKE NUMBERS STOCKED:

21 KA:	10L315, 10L464.
21LF KA:	10L533.
21LJ KA:	10L504.
21W1 KA:	2115, 2130, X2366.



New Style*

1-3/4" wide body



SERIES 25

2" wide laminated steel body. Pin tumbler cylinder and special keyway. Hardened boron alloy shackle 3/8" diameter. Shackle clearance 1" or 2-1/2" vertical, 15/16" horizontal. Dual hardened-steel levers lock each shackle independently.

Keyed Different With 5 Pin 27K Keyway

25 KD	1" vertical clearance.
--------------	------------------------

Keyed Alike* With 5 Pin 27K Keyway

25 KA	1" vertical clearance.
--------------	------------------------

Keyed 0-Bitted With 5 Pin 27K Keyway

25 KZ	1" vertical clearance.
--------------	------------------------

Keyed 0-Bitted With 4 Pin 1K Keyway

25W1 KZ	1" vertical clearance.
----------------	------------------------

Without Cylinder

25WO	1" vertical clearance.
-------------	------------------------

*KEYED ALIKE NUMBERS STOCKED:

25 KA:	10L001, 10L465.
---------------	-----------------




New Style*

2" wide body

• See next page for cylinders and shackles for 21, 25 Series padlocks •

*NOTE: The new design shown is a rolling change. We can not guarantee that you don't get the old style, shown below.



©ZIPF LOCK COMPANY

PADLOCKS

LAMINATED REKEYABLE PIN TUMBLER PADLOCKS



SERIES 27

2" wide laminated steel body. Pin tumbler cylinder and special keyway. hardened boron alloy shackle 7/16" diameter. Shackle clearance 1" or 2" vertical, 3/4" horizontal. Dual hardened-steel levers lock each shackle independently.

Keyed Different With 5 Pin 27K Keyway

27 KD 1" vertical clearance.

Keyed Alike* With 5 Pin 27K Keyway

27 KA 1" vertical clearance.

Keyed 0-Bitted With 5 Pin 27K Keyway

27 KZ 1" vertical clearance.

Keyed 0-Bitted With 4 Pin 1K Keyway

27W1 KZ 1" vertical clearance.

Without Cylinder

27WO 1" vertical clearance.

27WO LH 2" vertical clearance.

*KEYED ALIKE NUMBERS STOCKED:

27 KA: 10L130, 10L466.



New
Style*

2" wide body

• See below for cylinders and shackles •

NOW Sold as each
Minimum of 2

CYLINDERS FOR 21, 25, 27, 101, 220, 230 PADLOCKS

NOW sold as each, minimum 2 of a number, 4 pin cylinder (294W1) includes special plug extension. Cylinder may be used in 21, 25 and 27 padlocks. 5 Pin cylinder (295W15 thru W81KR) may be used in 21, 25, 27, 220 and 230 padlocks.

Same 4 Pin cyl. used in Nos. 1, 2, 3, 4, 5, 6 Padlocks.

294W1 KD Keyed Different.

294W1 KA Keyed Alike: 2159.

294W1 KZ 0-Bitted.

Same cylinder used in Nos. 21, 27, 220, 230 Padlocks.

295W27 KD Keyed Different.

295W27 KA Keyed Alike: 10L084.

295W27 KZ 0-Bitted.

Same 5 Pin cyl. used in No. 15 Padlock.

295W15 KD Keyed Different.

295W15 KA Keyed Alike: 19N451.

295W15 KZ 0-Bitted.

Same 5 Pin Cyl. used in No. 81 Master Keyed Padlock.

295W81KM MK KD Master Keyed/Keyed Different

295W81KM MK KA Master Keyed/Keyed Alike: 11M65.

295W81KM KZ 0-Bitted.

Same 5 Pin cyl. used in No. 17 Padlock.

295W17 KD Keyed Different.

295W17 KA Keyed Alike: 10T402, 19T458.

295W17 KZ 0-Bitted.

Same 5 Pin Cyl. used in No. 81 Padlock.

295W81KR KD Keyed Different.

295W81KR KZ 0-Bitted.

SEPARATE SHACKLES FOR 21, 25, 27 PADLOCKS

For #21WCS locks (Shackle springs included).

No.	Qty.	Description
292S21	5	Standard shackles 15/16"
292S21-LF	5	Extra-length 1-1/2" shackles
292S21-LJ	5	Extra-length 2-1/2" shackles
292S21-LN	5	Extra-length 5-3/4" shackles
292S21-A	10	Assorted length shackles 2 — Standard length 3 — 1-1/2", 3 — 2-1/2", 2 — 5-3/4"

For #25 WCS locks (shackle springs preassembled on 25WCS lock bodies).

No.	Qty.	Description
292S25	5	Standard shackles 1"
292S25-LF	5	Extra-length 1-1/2" shackles
292S25-LJ	5	Extra-length 2-1/2" shackles

For #27 WCS locks (shackle springs preassembled on 27WCS lock bodies).

No.	Qty.	Description
292S27	5	Standard shackles 1"
292S27-LH	5	Extra-length 2" shackles

NOTE: Shackles sold by the package only. Package quantity listed under "Qty".

PADLOCKS

WARDER TYPE LAMINATED PADLOCKS




3/4" wide body

3/4" wide laminated steel body. Warded type locking mechanism. Cadmium rustproofed. Shackle diameter 1/8". Clearances: vertical 5/16", horizontal 1/4". 2 keys. **Retail Carded.**

Keyed Different

9D KD 5/16" vertical clearance.



1" wide body

1" wide laminated steel body. Warded type locking mechanism. Cadmium rustproofed. Shackle diameter 5/32". Clearances: vertical 7/16", horizontal 13/32". 2 keys. Keyed different padlocks are **Retail Carded.**

Keyed Different


10D KD 7/16" vertical clearance.

Keyed Alike*

10 KA 7/16" vertical clearance

***KEYED ALIKE NUMBERS STOCKED:**

10 KA: 23.



1-1/2" wide body

1-1/2" wide laminated steel body. Warded type locking mechanism. Cadmium rustproofed. Shackle diameter 1/4". Clearances: vertical 5/8", horizontal 9/16". 2 keys.

Keyed Different

22 KD 5/8" vertical clearance.

Keyed Alike*

22 KA 5/8" vertical clearance

***KEYED ALIKE NUMBERS STOCKED:**

22 KA: 280, 337, 349.



1-1/8" wide body

1-1/8" wide laminated steel body. Warded type locking mechanism. Cadmium rustproofed. Shackle, diameter 3/16". Clearances: vertical 1/2", horizontal 1/2". 2 keys.

Keyed Alike*

105 KA 1/2" vertical clearance

***KEYED ALIKE NUMBERS STOCKED:**

105 KA: 075.



1-3/4" wide body

1-3/4" wide laminated steel body. Warded type locking mechanism. Cadmium rustproofed. Shackle, diameter 9/32". Clearances: vertical 13/16", 1-1/2", horizontal 13/16". 2 keys.

Keyed Different


500 KD 13/16" vertical clearance.

Keyed Alike*


500 KA 13/16" vertical clearance

***KEYED ALIKE NUMBERS STOCKED:**

500 KA
255, 370.



510



517

1-3/4" wide body

1-3/4" wide laminated steel body. Warded type locking mechanism. Cadmium rustproofed. 510 has adjustable and removeable 3" (ratchet) shackle with vertical clearance of 5/8" to 2". 517 has adjustable and removeable 7" (ratchet) shackle with vertical clearance of 2-3/4" to 5-3/8". Shackle diameter 9/32", horizontal 13/16". 2 keys.

Keyed Different

517 KD 2-3/4" to 5-3/8" vertical clear.

Keyed Alike*

510 KA 5/8 to 2" vertical clearance.

517 KA 2-3/4" to 5-3/8" vertical clear.

***KEYED ALIKE NUMBERS STOCKED:**

510 KA: F27.

517 KA: F29.

BREAKAWAY SHACKLE


The padlocks that's made to be broken! Regular Master #500 laminated steel padlock with specially constructed shackle that can easily be shattered in an emergency by a blow from a hammer, wrench or similar instrument. Specified by leading fire insurance underwriters for equipping sprinkler shut-off valves and fire hoses. Prevents tampering with the hose housing or sprinkler system, but provides fast, easy access when necessary. Also permits ready inspection by fire inspectors and fire equipment servicing companies. Padlock has 1-3/4" wide laminated steel body. Warded type locking mechanism. Cadmium rustproofed. Shackle diameter 9/32". Clearances: vertical 13/16", horizontal 13/16". 2 keys.

Keyed Alike*

500BRK KA 13/16" vertical clearance

***KEYED ALIKE NUMBERS STOCKED:**

500BRK KA: 197, 267.



PADLOCKS

Master Lock



Discontinued. Call for closeout prices.

PRO-SERIES™ ALUMINUM PADLOCKS

Make OSHA Compliance Easy!!

Brightly colored locks for easy identification

1-9/16" wide body

- Solid Aluminum Lock Bodies • Powder Coated Lock Bodies
- Hardened Steel Shackles • Stainless Steel Ball Bearings
- Brass Spool Pin Tumblers • Rekeyable Lock Bodies

1-9/16" wide solid aluminum body and 5-pin W6000 removable cylinder. Brightly colored locks for easy identification. Powder-coated finish last longer than anodized. 1/4" dia. hardened steel shackle. Shackle clearance 1-1/16" or 1-9/16" vertical, 25/32" horizontal.

Keyed Different With 5 pin W6000 Keyway

\$6835 KD 1-1/16" vertical clearance

\$6835 LF KD 1-9/16" vertical clearance

Keyed Alike* With 5 pin W6000 Keyway

\$6835 KA 1-1/16" vertical clearance

\$6835 LF KA 1-9/16" vertical clearance

Keyed 0-Bitted With 5 pin W6000 Keyway

\$6835 KZ 1-1/16" vertical clearance

Keyed 0-Bitted With 4 pin W1 Keyway

\$6835W1 KZ 1-1/16" vertical clearance

Keyed 0-Bitted With 5 pin W27 Keyway

\$6835W27 KZ 1-1/16" vertical clearance

Without Cylinder

\$6835WO 1-1/16" vertical clearance

\$6835WO LF 1-9/16" vertical clearance

\$6835WCS Body only-no shackle

***KEYED ALIKE NUMBERS STOCKED:**

- 6835 BLK KA:** 10G604.
- 6835 BLK LF KA:** 10G604.
- 6835 BLU KA:** 10G605.
- 6835 BLU LF KA:** 10G605.
- 6835 GRN KA:** 10G606.
- 6835 GRN LF KA:** 10G606.
- 6835 ORJ KA:** 10G607.
- 6835 ORJ LF KA:** 10G607.
- 6835 RED KA:** 10G608.
- 6835 RED LF KA:** 10G608.
- 6835 YLW KA:** 10G609.
- 6835 YLW LF KA:** 10G609.

TO ORDER:

Specify Padlock No. and Color

(Ex.) **6835BLK KD**

6835RED LF KA

6835W1 YLW KZ

See page 500 for cylinders and shackles.

STEEL SAFETY LOCKOUTS

Allows Lockout by up to 6 Workers


\$422 1" diameter jaw

\$424 1-1/2" diameter jaw

A tamper-resistant scissor-style steel lockout hasps. Allows for lockout by up to 6 workers. Compatible with Nos. 3, 410, 411 and 6835 safety lockout padlocks.

Discontinued. Call for closeout prices.

Compatible with Nos. 410, 411 and 6835 safety lockout padlocks




Yellow economy lockout hasp with locking tabs.

PADLOCKS




Discontinued. Call for closeout prices

SAFETY LOCKOUT PADLOCKS Complete and Easy OSHA Device Compliance



- "Safety Lockout" identification on lock and key.
- Write-on labels for custom identification.
- Eight bright body colors.
- **One Restricted Safety Key (400K) per pad lock. Additional keys Factory order.**
- One key provided per lock - for improved safety. Additional keys available when required.
- Six pin cylinder.
- **Durable lightweight non-conductive Xenoy® body is ideal for harsh environments.**
- Key retaining.
- Dedicated safety keyway.
- Extra length shackle.



\$410 SERIES Available KA or KD
1-1/2" wide, 1-3/4" high dedicated safety lockout padlock with 1-1/2" shackle and available in 8 colors.

\$411 SERIES Available KA or KD
1-1/2" wide, 3" high dedicated safety lockout padlock with 1-1/2" shackle and available in 8 colors.

Keyed Different

410 BLK KD
410 BLU KD
410 GRN KD
410 ORJ KD
410 RED KD
410 PRP KD
410 TEL KD
410 YLW KD

Keyed Alike

410 BLK KA
410 BLU KA
410 GRN KA
410 ORJ KA
410 RED KA
410 PRP KA
410 TEL KA
410 YLW KA

COLORS:

BLK	Black
BLU	Blue
GRN	Green
ORJ	Orange
RED	Red
PRP	Purple
TEL	Teal
YLW	Yellow

Keyed Different

411 BLK KD
411 BLU KD
411 GRN KD
411 ORJ KD
411 RED KD
411 PRP KD
411 TEL KD
411 YLW KD

Keyed Alike

411 BLK KA
411 BLU KA
411 GRN KA
411 ORJ KA
411 RED KA
411 PRP KA
411 TEL KA
411 YLW KA

LIMITED SUPPLY

OPTIONS AVAILABLE BY SPECIAL ORDER:

- Master Keyed
- Ink stamping of key number on label
- Second Key provided with order
- Reserved key numbers
- 4 pin cylinder
- 5 pin cylinder
- 5 pin cylinder (81 kwy)
- Customized labels


Discontinued. Call for closeout prices

PADLOCKS

REKEYABLE SOLID STEEL PADLOCKS



PRO SERIES



Excellent security against physical attacks. Heavy case hardened steel body. Hardened steel (7030) and boron alloy (7040-7050) shackles for superior cut resistance. 5-pin tumbler Pro Series provides tens of thousands of key changes. **Has W600A cylinder (American Lock keyway)**

	Body Width	Shackle Diameter	Horizontal Shackle Clearance	Vertical Shackle Clearance
Keyed Different				
7030 W600KD	1-9/16"	1/4"	25/32"	1-1/16"
7040 W600KD	1-3/4"	5/16"	29/32"	1-3/16"
7050 W600KD	2"	3/8"	29/32"	1-1/2"
Keyed Alike*				
7030 W600KA	1-9/16"	1/4"	25/32"	1-1/16"
7040 W600KA	1-3/4"	5/16"	29/32"	1-3/16"
7050 W600KA	2"	3/8"	29/32"	1-1/2"

*KEYED ALIKE NUMBERS STOCKED:
7030 KA: 44725. **7040 KA:** 22487.
7050 KA: 22634.

REKEYABLE SOLID STEEL PRO SERIES PADLOCKS

Master Pro Series High Security padlock with 2-1/2" wide steel case and 5-pin W6000 removable cylinder. Massive solid steel lock body is hardened for saw and hammer resistance. Replaceable 7/16" dia. hardened BORON alloy shackle. Shackle clearance 1-1/8" or 2" vertical, 7/8" horizontal. Dual hardened steel balls lock each shackle leg independently.



2-1/2" wide body

Keyed Different With 5 pin W6000 Keyway

- 6230 KD** 1-1/8" vertical clearance
- 6230LH KD** 2" vertical clearance

Keyed Alike* With 5 pin W6000 Keyway

- 6230 KA** 1-1/8" vertical clearance
- 6230LH KA** 2" vertical clearance

Keyed 0-Bitted With 5 pin W6000 Keyway

- 6230 KZ** 1-1/8" vertical clearance

Keyed 0-Bitted With 4 pin W1 Keyway

- 6230W1 KZ** 1-1/8" vertical clearance

Keyed 0-Bitted With 5 pin W27 Keyway

- 6230W27 KZ** 1-1/8" vertical clearance

Without Cylinder

- 6230WO** 1-1/8" vertical clearance
- 6230WO LH** 2" vertical clearance


*KEYED ALIKE NUMBERS STOCKED:

- 6230 KA:** 10G127, 10G233
- 6230LH KA:** 10G127

REKEYABLE SOLID STEEL PRO SERIES PADLOCK



6270



770

Hidden shackle lock and guarded hasp is ideal for vans, trucks, gates and vending. Defeats attempts to pry and cut. Hardened solid steel lock body withstands forcible attacks. Complete with high security 6-pin Pro Series cylinder.

Stock No. Description

- 6270 KD** Keyed Different
- 6270 KA** Keyed Alike (10G377 or 408K377)
- 770** Hasp for 6270 Series Padlock 7-1/4" x 4-1/2"

REKEYABLE SOLID STEEL PRO SERIES PADLOCK — RETAIL CARDED



High security padlock resist tough abuse. 2-1/2" wide hardened solid steel body. Hardened boron alloy shackle for superior cut resistance. 5-pin tumbler cylinder for added security. Removable cylinder can be replaced or repinned. Industrial grade materials to withstand attacks. Shackle diameter: 7/16". Horizontal shackle clearance: 7/8".

Keyed Different


- 930DPF KD** 1-1/8" vertical clearance
- 930DLHPF KD** 2" vertical clearance

PADLOCKS



SOLID STEEL PRO SERIES PADLOCK — RETAIL CARDED

Chrome plated solid steel body is strong, durable and resists rust and corrosion. Dual ball locking for added protection from prying and hammering. Hardened steel shackle for added protection from cutting and sawing. 5-pin cylinder for maximum pick resistance. **530:** shackle dia.: 9/32", Horizontal shackle clearance: 3/4". **532:** shackle dia.: 3/8", Horizontal shackle clearance: 1"



1-1/2" wide body

530DPF KD 15/16" vertical clearance


2" wide body

532DPF KD 1-1/4" vertical clearance

532DLHPF KD 2" vertical clearance

REKEYABLE SOLID STEEL PRO SERIES PADLOCK — RETAIL CARDED

Solid steel body is strong, durable and resists rust and corrosion. Dual ball locking for added protection from prying and hammering. Hardened boron alloy shackle for added protection from cutting and sawing. 5-pin cylinder for maximum pick resistance. Shackle dia.: 5/16", Horizontal shackle clearance: 29/32".





1-3/4" wide body

991DPF KD 1-3/16" vertical clearance

REKEYABLE DIE-CAST ZINC BODY PADLOCKS



2" wide body



2-1/2" wide body

Rekeyable round padlock with 2" wide solid body. 5 pin tumbler W27 cylinder. Hardened boron alloy shackle 7/16" diameter. Shackle clearance 1" or 2" vertical, 3/4" horizontal. Dual hardened-steel balls lock each shackle leg independently. Rust resistant. Triple-plated copper-nickel-chrome finish.

Keyed Different

220 KD 1" vertical clearance.

220LH KD 2" vertical clearance.

Keyed Alike*

220 KA 1" vertical clearance.

Without Cylinder

220WO 1" vertical clearance.

*KEYED ALIKE NUMBERS STOCKED:

220 KA: 10L036, 10L566, 10L669.

Rekeyable round padlock with 2-1/2" wide solid body. 5 pin tumbler W27 cylinder. Hardened boron alloy shackle 7/16" diameter. Shackle clearance 1" or 2" vertical, 15/16" horizontal. Dual hardened-steel balls lock each shackle leg independently. Rust resistant. Triple-plated copper-nickel-chrome finish.

Keyed Different

230 KD 1" vertical clearance.

230LH KD 2" vertical clearance.

Keyed Alike*


230 KA 1" vertical clearance.

Without Cylinder

230WO 1" vertical clearance.

*KEYED ALIKE NUMBERS STOCKED:

230 KA: 10L033, 10L134.



• See page 490 for cylinders •

©ZIPF LOCK COMPANY


PADLOCKS

TITANIUM SERIES™ SHROUDED PADLOCKS

Master Lock.



Titanium Series™ reinforced for High-Tech strength. No rust lifetime guarantee. "Bolt cutter tough" and "crowbar resistant" hardened steel shrouded shackle offers extreme cut and pry resistance. Weather tough™ patented sliding keyway cover keeps dirt and grime from jamming the locking mechanism. Scratch proof and durable ABS plastic bumper. Key retaining feature ensures padlock is not left unlocked. **185**: Shackle diameter: 9/32", Horizontal shackle clearance: 5/8", Vertical shackle clearance: 5/8". **187**: Shackle diameter: 5/16", Horizontal shackle clearance: 3/4", Vertical shackle clearance: 15-16".



1-15/16" wide body


185D Keyed Different

185D KA Keyed Alike: P399

2-5/16" wide body


187D Keyed Different

187D KA Keyed Alike: 3475



SPECIALTY PADLOCKS

PIN TUMBLER HASPLOCK



The first hasplock which provides the maximum protection of precision 4 pin tumbler security! Ideal for garage doors, tool and equipment sheds, cabins, wash-rooms, boat houses, trucks, warehouses, etc. Rugged 1-3/4" wide laminated steel padlock permanently attached to heavy-duty slide bolt and 4-1/2" wrought steel hasp... can't be misplaced, lost or stolen. Easy to install — works on doors opening right or left. Unique pinless hinge. Extra strong rounded staple of hardened steel. Tapered design, with rolled edges to conceal screws. Cadmium rustproofing. Specially inked serial number, erasable for added security. Complete with 7 cadmium plated screws. 2 brass keys.



475D KD Keyed differently

475 KA Keyed alike - 2905

D-Individually packaged for use on pegboards or in counter displays. Six in a shelf pack.

PADLOCKS

SPECIALTY PADLOCKS



GUN LOCK

The world standard in trigger lock design. Steel and zinc body for maximum durability. 4-pin tumbler cylinder helps prevent picking. Durable metal construction. Protective rubber pads shield gun from scratches. Fits most handguns, rifles and shotguns.

Keyed Different


90D KD

Keyed Alike*

90D KA

*KEYED ALIKE NUMBERS STOCKED:

90D KA: P104.



ARMOR LOCK

Armored hardened steel shackle defies cutting. 1-3/4" laminated steel body for superior strength. 4-pin tumbler cylinder helps prevent picking. Shackle guard protects against bolt cutters and hacksaws. Shackle fits openings 1/2" diameter or larger; shackle guard removable to accommodate openings 9/32" diameter. Clearances: vertical 15/16", horizontal 7/16". Ideal for securing trailers, cables and chains. 2 keys.

Keyed Different


37 KD 15/16" vertical clearance.

Keyed Alike*

37 KA 15/16" vertical clearance.

*KEYED ALIKE NUMBERS STOCKED:

37 KA: 3383, 3438.



MAXIMUM SECURITY

Fully shielded design minimizes shackle exposure. Key retaining feature ensures padlock is not left unlocked. 2-3/4" wide stainless steel body. Hardened steel shackle, diameter 3/8". Clearances: vertical 3/4", horizontal 3/4". 4-pin cylinder. Double dead-bolt locking to guard against pulling. Lifetime guarantee.

Keyed Different


40D KD

Keyed Alike*

40D KA

*KEYED ALIKE NUMBERS STOCKED:

40DKA: 0313, 0340, 0370, 0452, 0476.




GUN LOCK

Easy to install and set. Features positive locking with adjustable ratchet mechanism. Offers added convenience of keyless resettable combination. Special cushion pads protect gun's finish from marring or scratching. fits many handguns, rifles and shotguns.

Combination Gun Lock

94DSPT



VENDING & METER LOCK

Prevents access to vending and utility valve equipment. 1-1/2" wide laminated steel body. Hardened shackle spins for extra cut resistance. 4 pin tumbler cylinder. Shackle 3/8" diameter. Keyed-Alike only.


STEEL BODY

No. Clearance (A)

\$443LE KA 7/8" shackle

Keyed Alike No.: 3693.

-\$-Discontinued. Call for closeout price.



WIDE BODY

Extra wide reach for commercial freezers and other special applications. Removable cylinder can be replaced or repinned. 3-1/4" wide laminated steel body. Hardened boron alloy shackle, diameter 5/16". Clearance: vertical 3", horizontal 2-1/4"

No. Description

101 KD Keyed differently

101 KA Keyed Alike #10L467

101WO Lock without cylinder


Separate cylinders available to match other Master padlocks. **SEE PAGE 501.**

©ZIPF LOCK COMPANY

PADLOCKS

TRAILER LOCKS AND MISCELLANEOUS


Lock housing slides over coupler flange and is firmly secured by turning up case-hardened set screw into coupler cavity. Access to set screw is blocked by key operated cylinder.



- Protect unattended trailers
- Rugged die-cast zinc body resists corrosion
- 4-pin tumbler cylinder

No. Description

- MA-34** Fits most 2" couplers.
MA-35 Fits most 2" and 2-5/16" Marvel couplers.
MA-36 Fits most 2" Hadco couplers.
MA-39 Fits most 1-7/8" and 2" Bull Dog (Hammerblow) couplers.



Master Lock



1-3/4" laminated steel body for superior strength. Shackle guard protects against bolt cutters and hacksaws. Shackle fits openings 1/2" diameter or larger; shackle guard removable to accommodate openings 9/32" diameter. Clearances: vertical 15/16", horizontal 7/16".


Keyed Different

37 KD 15/16" vertical clearance.

Keyed Alike*


37 KA 15/16" vertical clearance.

*KEYED ALIKE NUMBERS STOCKED:
37 KA: 3383, 3438.



See previous page for more details


CLASS II RECEIVER HITCH LOCK 1/2" PIN & SNAP-ON RECEIVER LOCK



374DAT

1/2" pin fits standard 1-1/4" receiver tube. Nickel-plated, hardened steel pin resists corrosion and provides strong cut and shear resistances. The lock body snaps (and locks) onto the receiver pin for fast and trouble-free application. The pin tumbler mechanism offers maximum pick resistance while the solid brass keyway and vinyl cover allows for extended weather protection.


SOLID RECTANGULAR BRASS TRAILER COUPLER LOCK



605DAT

2-1/4" solid brass coupler lock with anti-sawing pin for maximum protection. Case-hardened steel shackle resists cutting and sawing. Solid brass case resists corrosion. Precision pin tumbler mechanism for superior pick resistance.


CLASS III/IV RECEIVER HITCH LOCK 5/8" PIN & SNAP-ON RECEIVER LOCK



375DAT

5/8" pin fits standard 2" receiver tube. Nickel-plated, hardened steel pin resists corrosion and provides strong cut and shear resistances. The lock body snaps (and locks) onto the receiver pin for fast and trouble-free application. The pin tumbler mechanism offers maximum pick resistance while the solid brass keyway and vinyl cover allows for extended weather protection.

UNIVERSAL TRAILER COUPLER LOCK



377DAT

Universal coupler lock fits 1-7/8" and 2" ball diameters of the following coupler brands: Reese®, Fulton, Valley, Attwood®, Putnam, Marvel, Ideal, Acme, Dutton-Lainson and UFP. Easy to install and remove. Resists rust and corrosion. Guards against trailer towaway theft.

SPARE TIRE LOCKS

262DAT


Spare tire lock, lug nut style. Ideal for locking spare tires on RV's, truck, etc.



HIGH SECURITY KING PIN LOCK

MA-387 KD Keyed Different

Secures the king pin of semi-tractors trailers. Renders bolt cutters useless. High grade aluminum is lightweight while providing high security. Includes an integrated No. 5 lock with all of its security and keying flexibility.



PADLOCKS

Sold by the bag
(12 per bag)

MISCELLANEOUS



PADLOCK CHAINS AND SHACKLE COLLARS —FOR MOST MASTER PADLOCKS—

CHAINS

71CS

9" long lightweight zinc plated steel chain with chain holder attached; fits all Master shackle collars which must be ordered separately.

71CH

9" long heavy-duty zinc plated steel chain with chain holder attached. Fits all Master shackle collars EXCEPT 71SC7. Order shackle collars separately.

COLLARS

71SC7

Fits 7/32" diameter shackles and smaller. For Nos. 7, 7LF, 7LJ, 8, 8LF, 105, 105LF.

COLLARS(Con't)

71SC8

Fits 1/4" diameter shackles and smaller. For Nos. 22, 22LF.

71SC9

Fits 9/32" diameter shackles and smaller. For Nos. 3, 3LF, 3LH, 4, 4LF, 4LH, 11, 500, 500LF, 1500 series, 1525.

71SC10

Fits 5/16" diameter shackles and smaller. For Nos. 1, 1LF, 1LJ, 1LN, 2, 2LF, 2LJ, 21, 21LF, 21LJ, 21LN, 81, 81LF, 81LJ, 81LN, 82, 82LF, 82LJ, 101, 175, 175LH, 2001.

Collars furnished complete with rivets for attaching to shackle.

COLLARS(Con't)

71SC12

Fits 3/8" diameter shackles and smaller. For Nos. 5, 5LF, 5LJ, 6, 6LF, 6LJ, 25, 25LF, 25LJ, 25WO.

71SC14


Fits 7/16" diameter shackles and smaller. For Nos. 15, 17, 220, 220LH, 230, 230LH, 27, 27LH.

71TAG

1/2" x 1-3/4" brass tag with ring for attaching to shackle collars listed.



SELF-COILING CABLE



Flexible multi-stranded self-coiling steel cable easily stretches out to 6' length. When released, cable automatically retracts into a neat, compact 3" coil. Coated to 1/4" diameter with a clear protective vinyl to help prevent scratching or marring. Generous-sized end loops securely fastened by wedged clamps designed for over 2,500 lbs. pull strength.

65D 6' cable

CABLE




CRIMEFIGHTER CABLE

Easy-to-coil multi-stranded steel cable — clear vinyl-coated to 1/4" diameter.

47D 4' cable

CHAINS




LIGHTWEIGHT

3/16" lightweight welded steel chain. Case-hardened, zinc plated. Flexible green vinyl protective cover.

73D 3' chain

74D 6' chain

HEAVY DUTY CABLES RETAIL CARDED



Braided steel wires for strength and flexibility. Convenient loops with rust-resistant sleeves and scratch guards. Galvanized steel cable resist rusting. Smoke vinyl coating helps prevent scratching.

No.

72DPF 15' cable, 3/8" diameter cable

78DPF 6' cable, 3/8" diameter cable

PADLOCKS

MISCELLANEOUS

Master Lock



PRO SERIES REPLACEMENT SHACKLES

Most Pro Series padlock shackles are removable and can be interchanged with extra length shackles to minimize inventory requirements and fit a wide variety of locking applications. Standard replacement shackles for Pro Series High Security padlocks are also available. All Pro Series shackles are made of extra tough BORON alloy for extreme resistance to bolt cutter, prybar, saw and other physical attacks. **Sold in bags of 6 each.**

For No. 6121, 6421, 6621, 6840 Series

293S6121 Standard 1-1/8" shackle
293S6121-LJ Extra length 2-3/8" shackle
293S6121-LN Extra length 5-5/8" shackle

For No. 6125, 6850, 6851, 6852 Series

293S6125 Standard 1-3/8" shackle
293S6125-LJ Extra length 2-3/8" shackle

For No. 6127, 6427, 6627 Series

293S6127 Standard 1-3/8" shackle
293S6127-LH Extra length 1-7/8" shackle

For No. 6230 Series

293S6230 Standard 1-1/8" shackle
293S6230-LH Extra length 2" shackle

For No. 6321, 6521, 6721 Series

293S6321LS Short length 3/4"

For No. 6325 Series

293S6325LS Short length 3/4"

For No. 6327, 6527, 6727 Series

293S6327LS Short length 3/4"

**NOW sold as each
Minimum 2 of a number**

SEPARATE CYLINDERS

All Pro Series padlocks from Master Lock have removable cylinders that can be changed instantly whenever security is compromised due to lost keys or employee turnover. Separate cylinders can be ordered in four, five and six pin configurations depending upon the security level desired. Optional six pin cylinders provide high security, high pick resistance, and over 100,000 possible key changes to virtually eliminate any possibility of duplication. Five pin W6000 cylinders include special pick resistant spool pins and are standard on all Pro Series padlocks. All cylinders can be pinned to match existing Master padlock key systems. **Minimum 2 of a cylinder** (includes 2 keys per cylinder)

For 6121, 6125, 6127, 6230, 6321, 6325, 6327, 6830, 6835, 6840 and 6850 Series

Four pin W1 cylinder.

296W1 KD Keyed Different.
296W1 KA Keyed Alike: 2405
296W1 KZ 0-Bitted.

Five pin W81 cylinders.

296W81 KD Keyed Different.
296W81 KA Keyed Alike: 10R019
296W81 KZ 0-Bitted.

Six pin W700A (American Lock) cylinders.

296W700A KD Keyed Different.
296W700A KA Keyed Alike: ?
296W700A KZ 0-Bitted.

Five pin W15 cylinders.

296W15 KD Keyed Different.
296W15 KA Keyed Alike: 10N650
296W15 KZ 0-Bitted.

Five pin W6000 cylinders.

296W6000 KD Keyed Different.
296W6000 KA Keyed Alike: ?
296W6000 KZ 0-Bitted.

Five pin W17 cylinders.

296W17 KD Keyed Different.
296W17 KA Keyed Alike: 10T808
296W17 KZ 0-Bitted.

Five pin W600A (American Lock) cylinders.

296W600A KA Keyed Alike: ?
296W600A KZ 0-Bitted.

Five pin W27 cylinders.

296W27 KD Keyed Different.
296W27 KA Keyed Alike: 10L315
296W27 KZ 0-Bitted.

Six pin W7000 cylinders.

296W7000 KD Keyed Different.
296W7000 KA Keyed Alike: ?
296W7000 KZ 0-Bitted.

PADLOCKS

NOW sold as each
Minimum 2 of a number

MISCELLANEOUS



CYLINDERS FOR 21, 25, 27, 101, 220, 230 PADLOCKS

NOW sold as each, minimum 2 of a number, 4 pin cylinder (294W1) includes special plug extension. Cylinder may be used in 21, 25 and 27 padlocks. 5 Pin cylinder (295W15 thru W81KR) may be used in 21, 25, 27, 220 and 230 padlocks.

Same 4 Pin cyl. used in Nos. 1, 2, 3, 4, 5, 6 Padlocks.

294W1 KD Keyed Different.
294W1 KA Keyed Alike:2159.
294W1 KZ 0-Bitted.

Same cylinder used in Nos. 21, 27, 220, 230 Padlocks.

295W27 KD Keyed Different.
295W27 KA Keyed Alike: 10L034.
295W27 KZ 0-Bitted.

Same 5 Pin cyl. used in No. 15 Padlock.

295W15 KD Keyed Different.
295W15 KA Keyed Alike: 19N451.
295W15 KZ 0-Bitted.

Same 5 Pin Cyl. used in No. 81 Master Keyed Padlock.

295W81KM MK KD Master Keyed/Keyed Different
295W81KM MK KA Master Keyed/Keyed Alike: 11M65.
295W81KM KZ 0-Bitted.

Same 5 Pin cyl. used in No. 17 Padlock.

295W17 KD Keyed Different.
295W17 KA Keyed Alike: 10T402, 19T458.
295W17 KZ 0-Bitted.

Same 5 Pin Cyl. used in No. 81 Padlock.

295W81KR KD Keyed Different.
295W81KR KZ 0-Bitted.

SEPARATE SHACKLES FOR 21, 25, 27 PADLOCKS

For #21WCS locks (Shackle springs included).

No.	Qty.	Description
292S21	5	Standard shackles 15/16"
292S21-LF	5	Extra-length 1-1/2" shackles
292S21-LJ	5	Extra-length 2-1/2" shackles
292S21-LN	5	Extra-length 5-3/4" shackles
292S21-A	10	Assorted length shackles 2 — Standard length 3 — 1-1/2", 3 — 2-1/2", 2 — 5-3/4"

For #25 WCS locks (shackle springs preassembled on 25WCS lock bodies).

No.	Qty.	Description
292S25	5	Standard shackles 1"
292S25-LF	5	Extra-length 1-1/2" shackles
292S25-LJ	5	Extra-length 2-1/2" shackles

For #27 WCS locks (shackle springs preassembled on 27WCS lock bodies).

No.	Qty.	Description
292S27	5	Standard shackles 1"
292S27-LH	5	Extra-length 2" shackles


NOTE: Shackles sold by the package only. Package quantity listed under "Qty".

Master Lock


DUAL FUNCTION DOOR SECURITY BAR

Adjusts to fit most Sliding and Hinged doors

Non-marring yoke (removable for sliding doors)
Designed to fit most doors, simple push button adjustment.
High strength steel tube, 20-gauge.
Portable. Collapsible, to fit most suitcases and garment bags.
Pivoting ball joint for full contact on floor.
Padded foot provides sure grip on most floors.
Lifetime Guarantee.



For Sliding Doors



For Hinged Doors

Stock No.
265D (White)

©ZIPF LOCK COMPANY