

YALE


10 locks per case.

5300 SERIES


For Residential and Light Commercial

- ANSI A156.2, Series 4000, Grade 2


Yale




AUGUSTA(AU)
US-3, 26D



BRANDYWINE(BR)
US-3, 26D



CAROLINA(CA)
US-3, 10B, 26D



LITCHFIELD(LF)
US-3, 26D

	Knob Function#	Lever Function#	Operation
PASSAGE	\$5301	\$5301LN	For doors that do not require locking. Either knob/lever operates the latchbolt at all times.
PRIVACY	—	\$5302LN	For lavatory or other privacy doors. Either lever operates latch bolt unless outside lever is locked by pushbutton inside. Button automatically releases when inside lever is turned or door closed. Emergency key inserted and turned in hole in outside lever will unlock door. Inside lever always active.
ENTRANCE	\$5307	5307LN	For Entrance or Office doors. Latchbolt by knob/lever either side, except when outside knob/lever is locked. When outside knob/lever is locked latchbolt is operated by key outside and knob/lever inside. Outside knob/lever is locked by pushing turn button in inside knob/lever (Automatically releases when inside knob/lever is turned or key is rotated in locking outside knob/lever). Outside knob/lever may be retained in locked position by pushing and rotating turn button, not released until turn button is manually returned to the vertical position. Deadlocking latchbolt.
	Still Stock:		
	AU5307LN 26D 234		
	CA5307 26D 234		
	LF5307 26D 234		
STOREROOM	\$5305	\$5305LN	For Storeroom, Closet, Utility or Exit Doors. Outside knob/lever always rigid at all times. Latchbolt by key outside, knob/lever inside. Deadlocking latchbolt.
CLASSROOM	\$5308	\$5308LN	For Classroom, Office or Utility doors. Latchbolt by knob/lever either side, except when outside knob/lever is set by key outside. Knob/lever inside always active. Deadlocking latchbolt.
ENTRANCE *LF only	\$5316*	—	For Entrance doors requiring optional locking of inside knob. Latchbolt operated by knob or key from inside and by key only from outside. Inside knob may be locked or unlocked by full turn of key in inside knob. Outside knob always locked when key is removed.

HOW TO ORDER: Specify,

Design: **LF** Litchfield
 Function: **5307** Entrance
 Finish: **26D** Satin Chrome
 Latch: **234** 2-3/4" Backset

LF-5307 26D 234

(Not all finishes/functions stocked in all designs.)

SPECIFICATIONS

DOOR THICKNESS: 1-3/8" to 2"
BACKSET: 2-3/8" or 2-3/4"
 US-10B—2-3/4" only
BORE: 2-1/8" x 1"
FINISHES: **US-3** Bright Brass
US-10B Satin Bronze,
 Oxidized & Oil Rubbed
US-26D Satin Chrome

©ZIPF LOCK COMPANY

238 v1
(PL-15)

**NOTE: Many Yale locks are being phased out. Call for super closeout prices.
 (We also have Schlage locks with Yale keyways)**


YALE

10 locks per case.


5400 SERIES

For Commercial Duty


- ANSI A156.2, Series 4000, Grade 1



AUGUSTA(AU)
US-3, 26D



CAROLINA(CA)
US-10B, 26D



LITCHFIELD(LF)
US-10, 26D

Yale

	Knob Function#	Lever Function#	Operation
PASSAGE	\$5401	\$5401LN	For doors that do not require locking. Either knob/lever operates the latchbolt at all times.
PRIVACY	—	\$5402LN ^F	For lavatory or other privacy doors. Either lever operates latch bolt unless outside lever is locked by pushbutton inside. Button automatically releases when inside lever is turned or door closed. Emergency key inserted and turned in hole in outside lever will unlock door. Inside lever always active.
ENTRANCE	\$5407	5407LN ^F	For Entrance or Office doors. Latchbolt by knob/lever either side, except when outside knob/lever is locked. When outside knob/lever is locked latchbolt is operated by key outside and knob/lever inside. Outside knob/lever is locked by pushing turn button in inside knob/lever (Automatically releases when inside knob/lever is turned or key is rotated in locking outside knob/lever). Outside knob/lever may be retained in locked position by pushing and rotating turn button, not released until turn button is manually returned to the vertical position. Deadlocking latchbolt.
Still Stock:			
AU5407LN 26D 234			
AU5408LN 26D 234			
LF5407 26D 234			
STOREROOM	\$5405	\$5405LN ^F	For Storeroom, Closet, Utility or Exit Doors. Outside knob/lever always rigid at all times. Latchbolt by key outside, knob/lever inside. Deadlocking latchbolt.
CLASSROOM	\$5408	5408LN ^F	For Classroom, Office or Utility doors. Latchbolt by knob/lever either side, except when outside knob/lever is set by key outside. Knob/lever inside always active. Deadlocking latchbolt.
STORE DOOR *LF only	\$5419*	—	For Store entrance or communicating doors. Either knob operates latchbolt (except when both knobs are locked simultaneously by key in either knob). Deadlocking latchbolt.
COMMUNICATING	\$5421* *LF only	—	For Communicating or Store entrance doors. Either knob operates latchbolt (except when key in either knob locks or unlocks the knob independently of the other). Should be used only on offices or rooms with multiple entry. Deadlocking latchbolt.
ASYLUM *LF only	\$5430*	—	For Utility, Asylum or Institutional doors. Latchbolt by key both sides. Rigid knob/rose both sides for use as pulls. Deadlocking latchbolt.

HOW TO ORDER: Specify,

Design: **LF** Litchfield
 Function: **5407** Entrance
 Finish: **US-26D** Satin Chrome
 Latch: **234** 2-3/4" Backset

LF-5407 US-26D

(Not all finishes/functions stocked in all designs.)

^FOutside lever is free wheeling when locked.

SPECIFICATIONS

DOOR THICKNESS: 1-3/8" to 2"
BACKSET: 2-3/4"
BORE: 2-1/8" x 1"
FINISHES: **US-10** Satin Bronze
US-10B Satin Bronze,
 Oxidized & Oil Rubbed
US-26D Satin Chrome

©ZIPF LOCK COMPANY

**NOTE: Many Yale locks are being phased out. Call for super closeout prices.
 (We also have Schlage locks with Yale keyways)**

239_{v1}
 (PL-15)

YALE


DEADLOCKS

Yale

10 locks per case.


For Deadlocks with Yale keyways see ILCO locks on page 148

AUXILIARY LOCKS




80 Security Latchlock

1/2" throw latchbolt. Key outside, thumbturn inside. Latchbolt held retracted by button. Also can be deadlocked by button. Sprayed brass. 2-3/8" backset. 2-1/2" x 3-5/8".



197 Jimmy-Proof Deadlock

Steel interlocking bolts resist prying. Key outside, thumbturn inside. Shutter guard protects against forced entry even if outside cylinder is removed. Sprayed bronze. 2-3/8" backset. 3-5/32" x 4-3/4".



112 Heavy Duty Deadbolt

1-1/8" throw deadbolt. Sprayed brass. 2-3/8" backset. 3-3/8" X 3-1/2".

197

Single cylinder-Inswinging

197 1/4

Double cylinder-Inswinging

112

Single cylinder-Inswinging

112F

Single cylinder-Outswinging

112 1/4

Double cylinder-Inswinging

CYLINDERS


**1109, 1152, 1801 Cylinders.
Limited supply of Yale cylinders. Call for closeout prices.**

For Mortise, Rim and Knob cylinders with Yale keyways see ILCO cylinders on page 284-286


YALE

LATCHES

Yale



**5300 Series
Latch/Deadlatch**



**5400 Series
Latch/Deadlatch**

YALE	2-3/8" Square Face	2-3/8" D.I.	2-3/4" Square Face	2-3/4" D.I.
3500 Series Deadbolt	ZL-573 (511A)			
5300 Series Latch	ZL-126 (378N)		ZL-129 (380BN)	
5300 Series Deadlatch	ZL-59 (380N)		ZL-127 (380AN)	
5400 Series Latch			ZL-130 (493)	
5400 Series Deadlatch			ZL-128 (494)	

KEY BLANKS

For Yale Key Blanks see our Key Blank Catalog (KB201)